TRADE PRODUCT CATALOGUE

dtwceramics trade

Everyday low prices!

OPEN A TRADE SHOP ON-LINE WITH OUR ACCOUNT AND CLICK & COLLECT SERVICE

dtwceromics trade

IN PERSON 48-49 Fitzherbert Road, Farlington, PO6 1RU

OPENING

m

Mon - Fri: 7:30am - 5:00pm Saturday: 8:00am - 12:00pm

pm **GALL TO ORDER** 0pm 02392 799 007


EMAIL TO ORDER sales@dtw-tiles.co.uk

CONTENTS	Page		Page
Concrete Repairs	3	Power Tools	38 - 40
Levellers	4	Tools	41 - 55
Primers	5	Tile Cutters - Manual	56 - 57
Shower Trays & Tile Backerboards	6 - 9	Tile Cutters - Electric	58 - 59
Fixings	10 - 11	Tile Cutting & Handling	60
Decoupling / Uncoupling Systems	12 - 13	Cutting Wheels	61
Waterproofing	14 - 15	Cutting Blades	62 - 63
Underfloor Heating	16 - 19	Drilling	64 - 65
Tile Spacer & Levelling Systems	22 - 23	Floats	67
Adhesives		Trowels	68 - 69
- Ready Mixed & Semi Rapid	24	Tile Trim	70 - 71
- Rapid Set	25	Trim & Joints	72 - 73
- Standard Set	26	Safety Vinyl Flooring	74
- Vinyl Adhesive	27	Tile Wall Covering	
Grout/Adhesive	28 - 31	Outdoor Patio Tiles	76 - 79
Silicone Sealants	32	Wall & Floor Tiles	80 - 82
Tile Bonding	33	Vinyl Flooring	83 - 87
Cleaners & Sealers	34 - 35	Prestige Plus Points	88 - 89
Protection & PPE	36 - 37	Trade Account Application Form	90

DTW Ceramics in-house graphics team is now at your disposal



E&OE. We do everything we can to ensure that the prices in our Trade Brochure are correct. We reserve the right to change our product's prices at any time without further notice.



ARDEX A 45

ARDEX ARDURAPID A 45 is a rapid drving and hardening. slump free mortar for internal repairs.

£20.91

ARDEX A 45

£**13**.81

ULITA ELOOR

Patch *it*

- Receives finishes after 90 minutes regardless of thickness
- Slump free ideal for vertical and horizontal repairs
- Ideal for the rapid repair of internal concrete, screeds, renders and concrete steps
- Other applications include forming ramps, falls and coves, patching around fittings/pipework, and filling cracks and gaps

Coverage: Approximately 7m² at 1mm thick per 11kg unit

PATCH IT

UltraFloor Patch IT is a rapid drying, fast setting and hardening cementitious repair mortar for internal applications. Its slump free characteristics make it ideal for repairing small cracks in walls and floors, concrete stair edges and for creating coves and ramps.

- Slump free Rapid setting Maintains profile Smoother to trowel
- Coverage:
- 3.2m² at 2mm 1-20mm thickness
- Open time 10 minutes
- Set time 20 minutes





- For the rapid repair of damaged concrete
- Sets within 30 minutes. For internal and external use Slump free - Apply from 2mm to 50mm thick

ARDEX P10 SR RAPID HARDENING CRACK REPAIR KIT

ARDEX P 10 SR Rapid Hardening Concrete Crack Repair Resin Kit is a solvent free polymer modified 2 component silicate resin system. The kit is easy to use and includes stitching pins, mixing/dosing bottles and protective gloves. It can be used for the rapid repair of non-structural cracks, joint sealing and as a rapid adhesive.



hardening general-purpose Fast setting and load bearing in as little as 20 minutes

sales@dtw-tiles.co.uk

LEVELLERS

PRIMERS

ARDITEX NA LEVELLING & SMOOTHING COMPOUND



 Apply direct to most substrates without priming Install floor coverings after 4 hours and ceramic tiles after 3 hours Walk on after 2 hours Convenient bag and bottle mix with no measuring or water required Advanced performance, even at lower temperatures Suitable for use with underfloor heating



PROLEVEL TWO

£17.79

BAL

£9.87

AGGREGATE

are required.



Flexible two part floor leveller with excellent flexibility for



RENOVATION **SCREED**

A fibre reinforced self levelling compound, designed for use in the refurbishment of existing floors





£21.55

BAL LEVEL MAX All-in-one, high performance floor leveller with Fibre Strand Technology.

(ADEX)

RDEX K 301



Ultra-guick setting leveller provides a levelling solution. Floors can be tiled Bed depth 2mm - 80mm in just 45 minutes. Bed depth 2mm - 30mm



FEATHER FINISH

Rapid drying patching and smoothing compound. Installation after 15 mins, no priming required. Bed depth 3mm - 12mm





ROCATEX PRIMER

A water based polymer emulsion designed to give maximum penetration into the substrate to enhance surface preparation for bonding when tiling or screeding.

Concrete Screeds Anhvdrite / Gvpsum Timber / Plasterboard

.....

£**33**.08 BAL admi× AD1 2.51

BAL ADMIX AD1

Admixture for wall and floor adhesives A water-based polymer additive for cementitious walls and floor adhesives. improving adhesion and flexibility, enhancing physical properties and

SLURRY PRIMER

performance.

External tiling slurry Primer A polymer modified cementitious slurry primer that provides an exceptional bond between all types of stone surfaces and UltraTile ProPave Mortar.





ULTRA TILEFIX PRO-PRIMER

Advanced polymer primer for exceptional bond and multiple substrates For both porous and non-porous substrates Internal & external use Suitable for calcium sulphate screeds



ULT7A

solvent free primer.



ARDEX P51

1kg e**13**26

Concentrated Water-Based Primer and Bonding Agent

ARDEX P 51 is a multi-purpose primer ideal for priming porous surfaces prior to the application of ARDEX Levelling and Smoothing Compounds.

- ✓ For floors, walls and ceilings, including dense and porous surfaces
- Ideal for sealing and priming gypsum based plasters and screeds

£**19**.97

BAL

prime

APD

BAL PRIME APD

drv or wet interior and

exterior environments.

2.51



FEBOND BLUE GRIT

Perfect for priming Febond Blue Grit is a walls and floors high-performance, plaster-A rapid-drying acrylic er's grip coat bonding agent, primer suitable for specifically designed to priming prior to the fixing of ceramics, mosiacs and natural stone tiles in

provide an improved key to smooth surfaces. Bonding coat for walls prior to plastering & tiling



ARDEX P4

£6755

4 Call: 02392 799 007

sales@dtw-tiles.co.uk



WETROOM SHOWER TRAYS

AQUA FLAT CENTRAL DRAIN

- Extremely flat version, just 20mm thick
- Specifically developed for installation on suspended timber floors



AQUA FLAT OFFSET DRAIN


- Extremely flat version, just
 20mm or 25mm thick
- Specifically developed for installation on suspended timber floors



HORIZONTAL DRAIN SYSTEM

JACKOBOARD® Aqua drain systems are the matching accessory for JACKOBOARD® Aqua and Aqua Flat shower elements. There are two drain systems to choose from: a horizontal drain system with a super-flat drain and a minimum installation height of just 97 mm (including shower element) or a vertical drain system. Both drain systems include a high quality solid brushed stainless steel grate with a high drainage rate of 0.9l/s.






Aqua Line Easy Linear Drain Shower Tray

NOT SELF-SUPPORTING

Constructed from extruded polystyrene foam with a cement coating on each side, reinforced with fibreglass mesh. This tray is specifically designed for building level access showers on suspended timber floors.



DOES NOT INCLUDE WASTE. Waste for tray £43.47

For all Waterproofing Products, See Pages 14 & 15

6 Call: 02392 799 007

sales@dtw-tiles.co.uk

TILE BACKER BOARD

JACKOBOARD®

TILE BACKERBOARDS 1200mm x 600mm

Made from an extruded polystyrene foam, JACKOBOARD Plano construction boards are waterrepellent and easy to work with. Finished on both sides with a special coating, they are ready to be tiled, rendered or plastered. Their excellent thermal insulation properties make them ideal for use as effective thermal insulation. The construction boards are perfectly suited for interior construction and furnishings especially in rooms subject to high moisture levels.





NoMorePly The Ultimate Surface

6mm PrePrimed Tile Backing Boards for Floors

Developed to strengthen timber floors before tiling, preventing tiles and grout lines cracking by removing the 'bounce' or deflection in timber floors.

Water resistant, unlike plywood which weakens when damp.



12mm Tile Construction Board for Walls

Due to their dense composition these 12mm Tile Backing Boards not only hold in excess of 100kg per m² but they are fully water resistant, fire resistant, termite resistant & impact resistant & for use internally & externally.

1200 x 600 x 6mm £9.76

TILE BACKER BOARD

JACKOBOARD SELF -**ADHESIVE SEALING TAPE**

For reinforcing abutting edges creating a permanent waterproof seal



CLASSIC MULTI PURPOSE

4 x 40mm SCREWS

- PACK OF 200





GALVANISED STEEL CONSTRUCTION BOARD WASHER TUB x 500



ACCESSORIES

JACKOBOARD SEALING KIT

The Jackoboard sealing kit is ideal for use under tiles ensuring complete tight seals perfect for wetrooms, showers and bathrooms.

KIT INCLUDES:

- 1x powder component 1x liquid component
- 10m sealing tape
- 2 x sealing corners



GALVANISED STEEL CONSTRUCTION

BOARD WASHERS Can be used for fixing all backerboards





BACKERBOARD



WALL NICHES

PACK OF 100

Made from an extruded polystyrene foam, JACKOBOARD® Wall niches are water-repellent, easy to work with and is an elegant way to create more storage space in your bathroom.

- Coated with special mortar and fiberglass mesh
- Tiles can be applied directly



sales@dtw-tiles.co.uk

1200 x 800 x 12mm

£16.13

FIXINGS

MULTI PURPOSE SCREWS

Specifically designed as a multipurpose product, the 25° sharp point, special thread design, lubrication and corrosion resistant plating ensures the screw will consistently perform efficiently in hardwood, chipboard, MDF, plastic and thin sheet metal, whilst offering exceptional holding power.

TYPE	QTY	COST
3.5mm x 20mm	200	£1.64
3.5mm x 25mm	200	£1.78
4mm x 40mm	200	£2.87
5mm x 30mm	200	£3.74
5mm x 50mm	200	£5.61
5mm x 70mm	200	£7.83
5mm x 100mm	100	£6.93







WALL PLUGS

PLASTERBOARD SPEED PLUG - METAL

Suitable for use in most types of hollow walls and plasterboard No need for pre-drilling





Can be used for fixing all backerboards Diameter: 35mm Internal diameter, 5.5mm

> **CONSTRUCTION BOARD WASHERS**

GALVANISED STEEL CONSTRUCTION BOARD WASHER TUB x 500



4 x 50mm ELECTRICAL SOCKET SCREWS

Secures faceplates to switches and sockets. M3.5 x 50mm Raised counter sunk head Slot head Fully threaded screw






YOU MAY NEED! **Heavy Duty Applicator Gun** Only s4 16 CAULKING GUN **SPRAY ADHESIVE** Use on foam, metal, wood, laminate and polythene



Fix-A-Floor



STS



All prices exclude VAT 11

10 Call: 02392 799 007

sales@dtw-tiles.co.uk



DECOUPLING SYSTEMS

UNCOUPLING / DRAINAGE

DE-COUPLING



SCHLÜTER-DITRA-MATTING x 1 roll

- Heating zones can be configured individually
- Low assembly height is ideal for renovation projects
- . Decoupling with proven Schlüter®-DITRA technology
- Suitable for installation over problematic substrates
- Certified system components
- Suitable as full-scale heating system

UNCOUPLING & WATERPROOFING

From Only	Per Roll	
£10.27	£274.70	Tr.
Per m ²	5000	
17		30m 1 roll

PRODESO ECO/STICK

- Made of polyethylene with a thickness of 3.5 mm
- Self adhesive which guarantees its fixing to the
- support, clean plywood, OSB, metal or old flooring. Transfers loads directly to the support and guarantees the laying of any flooring and the waterproofing, even in case of cracked and moisture-sensitive substrates.

ULTRA THIN DE-COUPLING

From Only

£ **13**.75

Per m²

Per Roll **BAL RAPID-MAT** £**313**.23

• Time to tile: Immediately

- Uses over 20% less adhesive than other decoupling matting systems with cavities
- Highly engineered, light weight matting for ease of use
- Minimal loss of loading capacity making it suitable for medium/ heavy duty commercial projects as well as domestic projects



- **BAL FLEXBONE VARIED**
- Advanced high load-bearing decoupling
- Counteracting and minimising tension stresses
- between substrate and floor to be tiled
- cracks, board joints and lateral movement
- Waterproofing wet areas no tanking needed

membrane for substrates with limited movement Prevents reflective cracking caused by shrinkage

90m

x 1 roll

- 30m Roll 📗 90m Roll From Only £200.13 £574.29 £ .25 Per m² 30m x 1 roll **STRATOS MEMBRANE** Rolls out straight & flat with no waves
 - Quick and easy installation
 - Maximum protection for tiling
 - Ideal for new build and renovation projects
 - Protects tiling against cracking
 - High shear elasticity
 - Maintains a waterproof seal

MATTING ADHESIVE

ARDEX AF 200 PLUS

Ready Mixed Uncoupling Matting Adhesive Install matting in as little as 5 minutes. Once matting is laid, tiling can start immediately. Ready mixed & resealable.



Drainage for floors Thin bed drainage, ventilation, uncoupling

Schlüter®- DITRA-DRAIN 4


Schlüter-DITRA-DRAIN 4 consists of a closed polyethylene foil that features approx. 4 mm high, truncated conical studs covered with a laminated filter webbing. Further studs are shaped as approximately 2 mm high inverted truncated pyramids, and form square undercut chambers on the underside. These facilitate the bonding of the cementitious tile adhesive, which is applied with a notched 6 mm x 6 mm trowel, to DITRA-DRAIN 4 and the substrate. It is important that DITRA-DRAIN 4 is fully embedded in the adhesive.

Schlüter-DITRA-DRAIN 4 is particularly suited for interior areas and small exterior areas.

A A A A A A









Schlüter[®]- DITRA-DRAIN 8

Schlüter-DITRA-DRAIN 8 consists of an impact resistant polyethylene foil with a special truncated stud structure on one side and polypropylene filter webbing laminated to both sides. The filter webbing on the underside facilitates the bonding of the cementitious tile adhesive, which is applied with a notched trowel (recommended: 3 x 3 mm or 4 x 4 mm) to DITRA-DRAIN 8. It is important that DITRA-DRAIN 8 is fully embedded in the adhesive.

Schlüter-DITRA-DRAIN 8 was specifically developed for outdoor applications.









12 Call: 02392 799 007

30m

x 1 roll

sales@dtw-tiles.co.uk

WATERPROOFING

250mm x 5m

ARDEX DPM 1C

One Coat Surface Damp Proof Membrane

Protects the final floorcovering from residual construction

- moisture and rising damp Guarantees the early laying of all floorcoverings
- Walkable in 6 hours
- Accommodates Hygrometer readings up to 98% RH in one coat
- Adheres well to wet concrete 1 even at 10°C
- Suitable for cement/sand screeds containing under floor heating systems
- Approx. coverage 2.5m² per kg

MAPEGUM WPS

Fast drying flexible liquid tanking membrane for interior waterproofing

Mapei Mapegum WPS is a ready-to-use, solvent free, one component, grey coloued paste with a base synthetic resins in water dispersion. It has a thixotopic consistency which makes it easy to apply on horizontal, sloping and vertical surfaces.

COVERAGE:

Approx. 4m² per 5kg bucket

JACKOBOARD SEALING KIT

The Jackoboard sealing kit is ideal for use under tiles ensuring complete tight seals perfect for wetrooms, showers and bathrooms.



KIT INCLUDES:

1x powder component 1x liquid component



ADED

RDEX DPM1C

6KG

ARDEX DPM1C



ARDEX WPC

Kev Features

and showers

Ouick and easy

to apply

Ideal for wetrooms

Tile after 90 minutes

FREE roller sleeve

Approx. 6.6m² with

2 coats applied per box

and scrim tape

in every box!

Coverage:

Flexible Rapid Drying Waterproof

Coating for Internal Wet Areas

Applied prior to tiling to create

a protective waterproof coating

WATERPROOF 1C A ready-to-use, rapid-setting one coat waterproofing system for tiling in internal wet areas.



WATERPROOF

5KG

£66m

PROTECTION SYSTEM

WHITE ONLY

£72 49

10KG

£129.72

A two component, solvent free epoxy resin system for use as a surface damp proof membrane Ready to tile after only 2 hours

MAPELASTIC AQUADEFENSE TANKING KIT

A ready to use kit for the rapid waterproofing of bathrooms, wet rooms and showers to receive tiles after 4 hours.



1 x 7.5kg Aquadefense Bucket 1 x 10m Roll of Mapeband PE120

£77.51

KERDI-200 WATERPROOFING

Schluter®-KERDI is a pliable sheetapplied waterproofing membrane and vapor-retarder designed for the direct application of tile. KERDI is ideal for use in tiled showers, bathtub surrounds, residential steam showers, and other tile applications in wet areas.





KERDI KM PIPE CONCEAL KERDI-FLEX TAPE KERDI-FLEX TAPE 20nly £17.33 £11 **JACKOBOARD SELF** -**KERDI KERECK EXTERNAL KERDI KERECK** ADHESIVE SEALING TAPE **CORNER** - 2 PARTS **INTERNAL CORNER** 100mm x 20m £35.27 **8**.89 **KERDI-COLL GREY 4.25KG KERDI-COLL GREY 1.85KG** WETROOM **SHOWER TRAYS 636**

125mm x 5m

www.dtw-tiles.co.uk

See Page 6


£**B**.34

..... sales@dtw-tiles.co.uk

UNDERFLOOR HEATING

UNDERFLOOR HEATING

Tile Backer Boards for Underfloor Heating



Using Insulation Boards with floor heating significantly reduces heat-up times and running costs.

Many people wonder if it is worth insulating under floorboards and the answer is that

yes, it definitely is. Backerboards are ideal for use with electric underfloor heating as they prevent the heat from the heating system escaping downwards to the subfloor. Our Backerboards do not let the heat pass through from the heater to the subfloor. Therefore the heat gets pushed upwards, onto the floor surface where you want the heat to go.

Insulation boards always improve the efficiency of your underfloor heating system by allowing a quicker heat up time, when no heat is getting wasted by going downwards away from the floor surface.

FOR BACKER-BOARDS, SEE PAGE (8

REALINE THERMOSTAT

The Wi-Fi thermostat is included in the kit and a dedicated app is available for full control of the electrical heating of floor and wall coverings.

Schlüter-DITRA-HEAT-E-DUO Smart Underfloor Heating That Performs for Tile and Stone

The Schlüter-DITRA-HEAT-E-DUO system simplifies electric underfloor heating installations. It's multifunctional, eliminating the need for numerous different layers, reducing assembly height and allowing you to fit more jobs into your schedule. Plus all kits now come with a smart WiFi thermostat.



Schlüter [*] -DITRA-HEAT-E-DUO Floor Kits							
Complete electrical floor heating system, inc thermostat.							
Uncoupled area (m²)	Heated area (m²) at 136 W/m²	Art-No.	£ / Set				
1.5	1.1	DH D RT5 S1	£261.98				
2.3	1.6	DH D RT5 S2	£281.24				
3.1	2.2	DH D RT5 S3	£310.09				
3.9	2.7	DH D RT5 S4	£342.12				
4.7	3.3	DH D RT5 S5	£374.04				
5.4	3.8	DH D RT5 S6	£410.35				
6.2	4.4	DH D RT5 S7	£442.29				
7	5.0	DH D RT5 S8	£480.47				
7.8	5.5	DH D RT5 S9	£508.90				

Only Schlüter' -DITRA-HEAT-E-DUO can offer:

- Thermal break for 70% faster warm-up
- Impact sound reduction of up to 13dB, feels like 50% to the human ear!
- Uncoupling managing movement of the substrate and surface covering
- Press-to-lay cable no adhesive or tape required

- Crack-bridging preventing cracks in the substrate from reaching the surface
- Waterproofing keeping moisture from the surface away from the subfloor
- Vapour pressure equalisation dependable management of vapour pressure

sales@dtw-tiles.co.uk

UNDERFLOOR HEATING



Rated as High Performance, DCM-PRO is proven to protect tiled floors from cracking. The innovative new system from Warmup allows for guick and easy installation of electric underfloor heating saving both time and cost. The system suits all floor types and protects the floor finish from seasonal changes that may cause cracks in the floor finish.

Warmup

DCM PRO PS SELF ADHESIVE MAT

If you're looking for the perfect underfloor heating solution, look no further than Warmup's range of DCM-PRO Mats. This innovative underfloor system is cleverly designed to protect your floor tiles from cracking using a unique decoupling technology. Made with a self-healing feature decoupling layer, the DCM-PRO Mat will expand and contract with subfloor movement caused by seasonal temperature changes.

Due to its low-profile, the DCM-PRO won't impact your floor build-up height, making it the perfect heating solution for both renovations and new-build projects.

Coverage: 0.75m² - Dimensions: (L)741 mm x (W)985 mm

Warmup

DCM PRO PERIMETER EDGE STRIP

Warmup DCM-E-25 Perimeter Strip is an essential extra when installing any DCM-Pro underfloor heating system from Warmup, the DCM-Pro perimeter edge strip will keep everything in its place.

Measuring 10mm x 30mm x 25 metres, this high quality perimeter edge strip is easy to fit and helps to provide a highly economical and discreet heating system. Quick and easy to fit, this edging tape helps to cut installation times and costs.

sales@dtw-tiles.co.uk

......

(W)	соѕт
150	£54.54
225	£59.61
300	£89.53
375	£101.09
450	£90.57
525	£102.13
600	£142.68
675	£157.69
750	£178.49
900	£157.12
1050	£176.06
1200	£243.76
1350	£273.79
1500	£306.15
1800	£275.87
2100	£392.80

£446.51

Operating Voltage: 220v-240v: 50Hz

2400

ARFA M 1 1.5 2


> > 9

10

12

14

16



AREA M ²	COST
0.73	£7.83 Per Sheet
14	£143.64 Per Roll







.....

Cable Kits are a perfect alternative to heating mats. The kits include electric underfloor heating cable and fixing tape to complete the installation.

£100.59 £121.63

£151.09

£180.56

£226.85

Colours:

Chrome

Dark

Rose

Gold

:

Elements WIFI THERMOSTAT



✓ Display size: 1.8"

Dimensions: 86mm(h) x 86mm(w) x 16mm(d) Simple touch buttons for accurate

control of your underfloor heating system


www.dtw-tiles.co.uk

UNDERFLOOR HEATING

AREA M ²	OUTPUT	COST
1	150w	£42.25
2	300w	£81.90
3	450w	£122.19
4	600w	£163.79
5	750w	£204.09
6	900w	£242.45
7	1050w	£278.85
8	1200w	£278.85
9	1350w	£330.85
10	1500w	£351.00

Operating Voltage: 230v: 50Hz

Designed to be used with the ThermoSphere Programmable **Control Thermostat**



ThermoSphere THERMOSTAT



 Specifically designed for electric underfloor heating. 🖌 Built-in ambient temperature 🗸 and external floor sensor. Manually boost the tempera ture until the next event.

A comprehensive range of energy saving features. Works with popular electric underfloor heating systems.




this star doesn't shine

Micromax Grout-Effect Sealant seamless perfection.

NEW. The only silicone sealant that blends perfectly with grout!

BAL



- No more shiny, high-gloss silicone
 Seamless colour and texture match with BAL Micromax3 ECO
- ✓ For perimeter and movement joints even in high-traffic areas
- ✓ Long-lasting Microban[®] antimicrobial protection against black mould – provides protection for hygiene areas
- ✓ For internal and external environments

results that stand out, by not shining out!

£7.36

bal-adhesives.com



UltraTile ProSS Flex is a single part, standard set, flexible adhesive for wall and floor tiles. It is specially formulated with enhanced adhesion and flexibility for use with ceramic, porcelain and natural stone tiles. UltraTile ProSS Flex is a polymer modified adhesive suitable for use with most common substrates and in areas of movement and vibration.



Flexible Standard Set Tile Adhesive

Ideal for use with Colomy, Porcesin with Nosaus forminetty for use on with and foreign applications Proble properties for use for plant of openion

PER BAG

£11.45

GREY 20kg


.....

PER PALLET 54 BAGS £503.45 GREY 20kg Only £9.32 a Bag

We have Pallet Deals on all our Tile Adhesives, ask at our Trade Counter for more information!

TILE SPACERS

LEVELLING SYSTEMS





Туре	Code	Description	Trade Price
	TOO152	Tile Spacer Wedges - Pack of 250, 0-5mm	£1.61
	TOO150	Spacers - 2mm Tile Spacers in a Bag of 250	£1.08
	TOO153	Spacers - 2mm Tile Spacers in a Bag of 500	£1.88
	TOO154	Spacers - 2mm Tile Spacers - Bucket of 2000	£8.12
	TOO155	Spacers - 3mm Tile Spacers in a Bag of 250	£1.45
	TOO156	Spacers - 3mm Tile Spacers - Bucket of 2000	£9.83
	TOO157	Spacers - 4mm Tile Spacers in a Bag of 250	£1.44
	TOO159	Spacers - 5mm Tile Spacers in a Bag of 250	£1.54
	TOO168	Spacers - 5mm Tile Spacers - Bucket of 1500	£7.42
	TOO50	Spacers - 8mm Tile Spacers in a Bag of 100	£2.04
	TOO167	Spacers - Y Type 5mm Octagon in bags of 250	£3.52
V	TOO166	Spacers - Y Type 5mm Octagon in bags of 100	£1.70
	TOO170	Spacers - Y Type 2mm Hexagon in bags of 250	£3.69
	TOO171	Spacers - Y Type 4mm Hexagon in bags of 250	£3.72
т	TOO169	Spacers - T-Type 2mm Tile Spacers Bag of 250	£1.20
· · ·	TOO195	Spacers - T-Type 10mm Tile Spacers Tub of 250	£8.46
6	TO526	T-Spin Leveller Spacers - Pack of 100	£16.76
TILE	T00172	2mm bases, 100 pieces per pack	£5.19
	TOO173	3mm bases, 100 pieces per pack	£5.19
	TOO174	Levelling Wedges, 100 pieces per pack	£5.52

WEDGE LEVELLING SYSTEM



TILERITE T-SPIN

- Contains 100 T-Spin Level Spacers per pack
- Eliminates Lippage
- ✓ Use with 2-17mm Thick Tiles
- Ideal for walls and floors

2 mm

 Use with Tile Rite Tile Spacers 2-6mm

£16.76 100 pcs per pack 17 - 22mm **£22.13** 100 pcs per pack



HORSESHOE SHIMS

- High impact reusable plastic shim
- For both horizontal and vertical tile installation
- For aligning marble, granite, porcelain and large format tile



BIHUI T-SPIN

- ✓ Holds walls and floor tiles level & eliminates lippage
- Anti-Scratching large cap for protecting your tiles and fast spin-down handle, No tools needed anymore.
- Suitable for tile clearance 1.5-6mm, for a wider joint, use classic spacers together.
- Used in conjunction with other levelling systems as well.
 Suitable for 2-17mm tiles.



BIG SPIN HURRICANE 200 x 2MM TILE SPACER & CAP STARTER KIT

The Big Spin Hurricane Tile Spacer & Cap Starter Kit is a tile installation system for fitting standard 3-15mm tiles.

- 2 part system for perfect tile-to-tile alignment (50 Caps + 150 Spacer Bases)
- Designed for fitting large format Porcelain, Marble & Stone tiles from 3mm to 15mm thick
- Ensures an even 2mm grout line
- Interchangeable with our BIG SPIN level system
- For wall & floor tiles from 3-15mm

sales@dtw-tiles.co.uk

TILE ADHESIVE

Ready Mixed - Walls Only

Rapid Set - Walls & Floors

TILE ADHESIVE

£11.72

GREY

PROFIX

ADHESIVE

C2FTS1

RAPID

FLEX

GREY

Grey Rapid Set Flexible Adhesive for Tiles & Natural Stone

Mart Wigness / Hally / States

61

-



BAL WHITE STAR PLUS

- Fixing ceramics (up to 300 x 300mm), mosaics, porcelain tiles (up to 150 x 150mm) and some natural stone in drv or wet interior environments
- Suitable for heavy duty wet areas including showers/ kitchens/bathrooms/wet rooms Suitable for use on backgrounds subject to limited movement/
- vibration



ARDEX D 20

- Up to 20 minutes open time and 40 minutes tile adjustability Ideal for use in kitchens, bath rooms and domestic showers
- No primer required Colours Available: White
- 🖌 Unit Size Available: 10ltr/15kg
- Approximate coverage: 1 litre per m² using a 3mm x 3mm toothed and notched trowel 4 hour dry time



BAL GREEN STAR

- For use in interior, dry and intermittently wet service conditions
- Fixing ceramics (up to 300 x 300mm), mosaics, porcelain tiles (up to 150 x 150mm)
- Ideal for ceramics, mosaics and some natural stones
- Open time of 30 minutes, grout after 24 hours
- Excellent non-slip properties

TILE ADHESIVE



BAL FLEX ONE

Most tile types, including: Porcelain, Natural Stone, Rigid Foam Insulating Materials and Brick Slips For use with underfloor heating Dry/Wet/Interior/ Exterior use Pot life 2.5hrs, grout after 6.5hrs White only - 20kg bag

£16.46 £14.92 ROCATEX C2TE St

FLEX

WHITE

Flexible Adhesive

· Commit Standard Restore · Restore Restore (Tagenere · Standard Standard

20kg (€

Semi-Rapid - Walls & Floors

ROCATEX ES SEMI-RAPID SEMI-RAPID FLEX GREY White Semi-Rapid Set Grey Semi-Rapid Set Flexible Adhesive for Tiles & Natural Stone for Tiles & Natural Stone many / Parks / Latin Same Street Street -----61 20kg (€

ROCATEX SEMI-RAPID FLEX WHITE & GREY

ROCATEX C2TE S1 Slow Flex Grey or White is a single part, flexible wall and floor tile adhesive for fixing natural stone and tiles including ceramics, porcelain and mosaics to a variety of substrates. Suitable for interior and exterior use.

- 1-20mm bed thickness
- 2 hours pot life and 5 hours set time

.....

- High grab, non-slip
- Interior and exterior use

sales@dtw-tiles.co.uk

SI





S MADE



£1881

WHITE

S BAL

rapid-flex

one

C2FT S1

RAPID

FLEX

WHITE

White Rapid Set Flexible Adhesive for Tiles & Natural Stone

AND DEALANS / STOR / LINE

harden / harden



RAPID S1 Sets in 2-3 hrs ready to grout in 3hrs. Suitable for encap-

heating. Int. & Ext. use

£17.97

GREY

ARDER

ARDEX X7R

adhesive grey

20ka

GREY

Sets in 2-3 hrs ready to grout in 3hrs. Suitable for encapsulated underfloor/undertile sulated underfloor/undertile heating. Int. & Ext. use





45 mins pot life, 45 mins pot life, 3 hour set time 3 hour set time



PROFLEX S2

3-20mm bed thickness, 60

mins pot life, 3.5 hr set time

.....



3-16mm bed thickness, 60

mins pot life, 2.5 hr set time



PRORAPID RS 3-16mm bed thickness, 60 mins pot life, 2.5 hr set time

www.dtw-tiles.co.uk

PROFLEX S2

3-20mm bed thickness, 60

mins pot life, 3.5 hr set time

2Aka

TILE ADHESIVE

Standard Set - Walls & Floors



ARDEX X 7 W & X 7 G

Like all ARDEX products, ARDEX X 7 offers the professional tile fixer excellent application properties and performance they can trust.

5-hour pot life

WHITE

Super Flexible

Adhesive

- Extended 30 minute open time Excellent workability and slump resistance
- For almost all tile types including non-moisture sensitive natural stone

GREY

Super Flexible

Adhesive

 Suitable for wall and floor applications and underfloor heating



ARDEX X 77 MICROTEC

Fix any tile size or type without slipping and without the need for battens, with advance slip resistance technology.

3-hour pot life and

9.9

WHITE

A MAPE

- 60 minute open time Ideal for almost all tile types including non-moisture sensitive
- natural stone Suitable for wall and floor applications, underfloor heating internal and externally including swimming pools



ULTRA TILEFIX PROSET SS

- Ideal for use with ceramic and porcelain, wall and floor tiles
- Suitable for areas of movement and vibration
- Flexible properties for use in wet areas
- Can be used on timber
- and concrete floors 3-16mm bed thickness
- 2 hours pot life, 16 hours set time



PROFIX STANDARD SET POWDER ADHESIVE

Profix adhesive is a flexible, standard setting tile adhesive for use on walls and floors. Fix ceramic and porcelain tiles with confidence in kitchens and concrete, screed or plywood overlay



ROCATEX C2TE S1 Slow Flex is a single part, flexible, slow setting wall and floor tile adhesive for fixing natural stone and tiles including ceramics, porcelain and mosaics to a variety of substrates. Suitable for interior and exterior use. 3 hour pot life, 12

hours set time



WHITE

£16.76

C2TE S1

SLOW

FLEX

ROCATEX

BAL SPF S1 🖊 Highly Flexible, for walls & floors 🖌 Suitable for internal & external use C2TE S1 Water/frost resistant Extended open time of 30 Minutes Pot life of 5 Hours Grey Slow Set Flexible Adhesive I Natural Stone & Til Can Be Used With STATE / LINE / LINE Porcelain Tiles For areas of total immersion in water

such as swimming

pools and showers

GREY

e14 ...

ROCATEX

SLOW

FLEX

GREY

20kg (6

100

SI



VINYL ADHESIVE







✓ Walk on after 2 hours

AF 145 Can receive floor coverings in as little as 20 minutes Can receive vinyl sheet up to 80 minutes after airing Excellent early and long term adhesive strength Can be used as a pressure sensitive adhesive or wet bond adhesive Solvent free

SUPER FLEXIBLE ADHESIVE

High grab, high strength versatile flexible wall and floor tile adhesive. Suitable for Ceramic, porcelain, stone, underfloor heating and wet areas including showers & swimming pools.

Internal & external use Up to 15mm bed thickness



KERAFLEX-SLOW SET

High performance, flexible cementitious adhesive, with no vertical slip and extended open time. For the installation of ceramic tiles and moisture stable stone materials on walls and floors.

Extended open time of over 30 minutes, grout walls after 8 hours and floors after 24 hours

.....

ST

bathrooms. This adhesive is for use on floors.

Substrate Preparation: sound, free from cracks, drv, clean and free from materials that would impair adhesion. KARNDEAN The surface should be as TACKIFIER smooth as possible and have Coverage up to -100m²

Karndean Design/control

Karndean Tackifier

Karndean Loose Lay Tackifier Adhesive is designed to be used for large areas of Karndean LooseLav

You must install Karndean Flooring using Karndean adhesive as part of the product warranty terms

only very slight absorbency. If necessary, apply Karndean Skim Coat and/or a thin primer-coat. Cement and calcium sulphate screeds must be

£33.11 £63.53

The substrate must be level.

5ka

2.5ka

IMPORTANT

abraded, primed with a suitable primer and vacuumed. Thoroughly vacuum off all loose material and dust.



sales@dtw-tiles.co.uk

Epoxy **GROUTS / ADHESIV**

ARDEX EG 18 PLUS

Unlike traditional epoxy grouts, ARDEX EG 18 PLUS is easy to apply and requirtes no special tools.

- Combines the chemical resistance of epoxy grouts with the enhanced application properties of cement-based grouts
- Can be cleaned off in as little as 15 minutes and up to 60 minutes after application
- Resists chemical attack, and is waterproof and abrasion-resistant
- Suitable for joints 2-12mm wide
- Suitable for wall and floor applications 1
- Suitable for internal and external areas, 1 including swimming pools
- Suitable for use with underfloor heating



PROPAVE GROUT: EXTERNAL

UltraTile ProPave Grout is a high specification, decorative, brush-in external tile jointing solution, suitable for use with granite, porcelain and other premium quality natural stone. Available in 4 bespoke colours - the perfect choice for a seamless transition for tiles inside, to outside living spaces.

- Apply in all weathers
- Apply with water
- Can fill joint widths from 3mm-20mm and joint depths from a minimum of 20mm
- Walk on in 24-48* hours
- 15m²+ approx coverage
- Fast and easy to apply



KERAPOXY

Two-component, acid resistant epoxy grout for joints wider than 3 mm, available in white and grey, may also be used as an adhesive. Particularly suitable for hygiene areas and where resistance to aggressive chemical substances is required.

For use in the food industry, industrial floors and walls, swimming pools - especially those containing spa or sea water, laboratory benches, kitchen work surfaces etc.

- Pot life: 45 minutes, open time 30 minutes
- Set to light foot traffic: approx. 24 hours
- Ready for use after 4 days
- ✓ Storage: 24 months



BAL MICROMAX 3 ECO

Micromax3 ECO features new improved, longerlasting Microban antimicrobial protection, locked in colour-consistency and efflorescence-free formulation. Easier clean-off and less haze ensures a more durable lasting finish every time. Environmentally friendly it is made with 25% recycled materials, fully recyclable packs and low-dust technology.

- Suitable for all tile types, including natural stone
- Internal/external and now full immersion
- including swimming pools.
- Two-year shelf-life in 2.5kg and 5kg for less waste in-store.



BAL GROUT FLEX

Highly flexible and water/frost-resistant, BAL Grout Flex is suitable for grouting wall tiles with joints up to 5mm. Recommended for swimming pools, power showers and areas of limited movement, BAL Grout Flex has a builtin admixture for increased flexibility and high bond strength at the edges of tiles or mosaics.



Powdered

GROUTS

PROGROUT FLEXIBLE

Ultra Tile adhesives FlexJoint is specially designed for areas where movement or vibration is likely to cause problems with grout or tiles cracking and is perfect for underfloor heating.



ULTRACOLOR PLUS

Grout with CO2 fully offset in the entire life cycle that withstands time. The colour that enhances your spaces

ULTRACOLOR PLUS is a high performance, quick-setting and drying cementitious mortar for grouting joints up to 20 mm wide. The range of colours of ULTRACOLOR PLUS grouts brings out the beauty of any tiled surface and add a touch of originality to any setting. Designed to last and to keep surfaces hygienic and healthy, ULTRACOLOR PLUS is easy to apply and clean.



Mapei colours feature across grout ranges and are matched with Mapesil AC sealant, see page 32.





Call: 02392 799 007 28

sales@dtw-tiles.co.uk

GROUTS

Powdered

ARDEX-FLEXFS

ARDEX-FLEX FS is formulated to blend to a uniform colour, ensuring a consistent, streak-free finish, and it is suitable for commercial and domestic locations including swimming pools, showers and kitchens.

- Consistent, streak free results
- Water repellent and dirt resistant
- Ideal for commercial and domestic environments such as swimming pools, showers and kitchens
- ✓ Suitable for joints up to 4mm wide
- Ideal for almost all tile types including non-moisture sensitive natural stone
- ✓ Suitable for wall and floor applications
- Suitable for internal and external areas, including swimming pools

Suitable for use with underfloor heating

ARDEX ST Elastic Silicone Sealant

is available in Transparent & 13

colours designed to match the

most popular ARDEX-FLEX

Flexible Tile Grout colours

See page 32.


✓ Walkable After 5 hours

Pot Life 2 ½ hours

ARDEX-FLEX

Flexible Tile Grout with Built-in Admix poly and clean off the tile sorta 10^{**}

	2.5KG	5KG	10KG		2.5KG	5KG	10KG
Ground Cocoa			£20.49	Dove Grey	£6.56	£11.21	£20.49
Ocean Grey			£20.49	Barley Sugar			£20.49
Slate Grey			£20.49	Blossom White			£20.49
Stone Beach			£20.49	Fresh Magnolia			£20.49
Winter White			£20.49	Wild Mushroom			£20.49
Antique Ivory		£11.21	£20.49	Oyster Pink			£20.49
Cast Iron		£11.21	£20.49	Coffee Bean			£20.49
Floating				Gentle Dawn			£20.49
Driftwood			£20.49	Organic Earth			£20.49
Innocent Black			£20.49	Burnt Orange			£20.49
Natural Almond			£20.49	Spring Green			£20.49
Silver Shimmer		£11.21	£20.49	Fresh Snowdrop			£20.49
Spring Jasmine			£20.49	Summer Yellow			£20.49
Stormy Mist			£20.49	Pebble Drift			£20.49
Gentle Blush	£6.56	£11.21	£20.49	Autumn Red			£20.49
Brilliant White	£6.56	£11.21	£20.49	Grey Dusk			£20.49
Classic Vanilla	£6.56		£20.49				



ARDEX-FLEX FL

ARDEX-FLEX FL is a rapid setting flexible tile grout that allows tiles to be trafficked after just 90 minutes. It's formulated to blend to a uniform colour, ensuring a consistent, streak-free finish, and is suitable for commercial and domestic locations including swimming pools, showers and kitchens.

- Tiles can be trafficked after 90 minutes
- Consistent, streak free results
- ✓ Water repellent and dirt resistant
- Ideal for commercial and domestic environments such as swimming pools, showers and kitchens
- ✓ Suitable for joints 3-15mm wide
- Ideal for almost all tile types including non-moisture sensitive natural stone
- ✓ Suitable for wall and floor applications

- Suitable for internal and external areas, including swimming pools Suitable for use with underfloor
- heating

ARDEX ST Elastic Silicone Sealant is available in Transparent & 13 colours designed to match the most popular ARDEX-FLEX Flexible Tile Grout colours See page 32.



10** 🔮 🖻 🖉 📚 🖉

GROUTS

	2.5KG	5KG	10KG		2.5KG	5KG	10KG
Ground Cocoa			£17.98	Dove Grey	£5.73	£10.60	£17.98
Ocean Grey			£17.98	Barley Sugar			£17.98
Slate Grey			£17.98	Blossom White			£17.98
Stone Beach			£17.98	Fresh Magnolia			£17.98
Winter White			£17.98	Wild Mushroom			£17.98
Antique lvory			£17.98	Gentle Dawn			£17.98
Brilliant White		£10.60	£17.98	Oyster Pink			£17.98
Cast Iron			£17.98	Coffee Bean			£17.98
Classic Vanilla			£17.98	Organic Earth			£17.98
Floating				Burnt Orange			£17.98
Driftwood			£17.98	Spring Green			£17.98
Innocent Black			£17.98	Fresh Snowdrop			£17.98
Natural Almond			£17.98	Summer Yellow			£17.98
Silver Shimmer			£17.98	Pebble Drift			£17.98
Spring Jasmine			£17.98	Autumn Red			£17.98
Stormy Mist	£5.73		£17.98	Grey Dusk			£17.98



sales@dtw-tiles.co.uk

SILICONE SEALANTS



GENERAL PURPOSE SILICONE GLOSS

This sealant adheres to most smooth and non-porous materials. It contains an anti-fungal compound to prevent mould growth in areas of high humidity and forms a permanently flexible rubber seal. ✓ Quick curing -

low dirt pick up

White

Black

100ml

£**5**.78

rimco

Sealant

quick and easy n

Remover

Clea

SEALANT This sealant adheres to most smooth and non-porous materials. It contains an anti-fungal compound to prevent mould growth in areas of high humidity

Roof & and forms a permanently flexible rubber seal.

low dirt pick up



SEALANT REMOVER

A quick and easy method of removing cured acrylic and silicone sealants from ceramic tiles, glass, painted surfaces and most plastics. The thick gel coat penetrates and breaks down the silicone for effortless removal.

🖌 Fast acting

£4 47

 For acrylic and silicone
 Safe on all surfaces including: ceramic tiles, glass, paint surfaces and most plastics
 Brush Application
 Interior & exterior

MAPESIL AC GLOSS

Solvent-free silicone for baths and showers. Mould-resistant. For interior, exterior and underwater use. Bonds to ceramic, porcelain, glass and plastic. Matching grout available.



BAL MICROMAX SEALANT MATT

Suitable for surfaces including sanitary, acrylic, fiberglass, glass, glazed, porcelain and painted in dry and wet interior and exterior environments. Seals movement joints




BIHUI SILICON APPLICATION SET

£**2**.39

Designed to shape silicone sealant for perfect finish around baths, showers, windows, basins, etc.

BAL






BONDING

Febond Blue Grit is a high-performance, plasterer's grip coat bonding agent, specifically designed to provide an improved key to smooth surfaces. Contains a fine aggregate that provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles.

- Ready to use straight from the tub
- Simple to apply by roller or brush
- Available in 5L and 10L tubs

USES

- Bonding coat for walls prior to plastering & tiling
- Bonding to difficult substrates glass, ceramics, MR plasterboard, MDF, pre-cast concrete, and other particle boards etc.



ONE COAT APPLICATION, COLOURED BLUE TO INDICATE COVERAGE

.....





32 Call: 02392 799 007

sales@dtw-tiles.co.uk

CLEANERS / SEALERS

£20 gr

1ltr

and concrete stone

and dirt repellent

£12.20

surfaces. Enhances the

CLEANERS / SEALERS



PROTECTIVE **IMPREGNATOR** KF

 For initial treatment of new floors with polished and sensitive surfaces. Prevents penetration of water and oil, protects against stains and dirt



SLATE SEAL MN

 For rough and honed surfaces. Forms a shiny protective layer, strengthens the colour structure and simplifies maintenance



STAIN STOP KF Protects absorbent, stain-sensitive ceramic

......

surfaces and grout

against stains





500m

Protects absorbent

against staining

STAIN STOP MN

stain- sensitive natural and

engineered stone surfaces

 Largely prevents penetration of oil, grease and water



POWER CLEAN MN For all natural and artificial stone with stubborn dirt

EASY-CARE

deposits • For regular cleaning of high traffic & outdoor areas



RESIN-EX

COLOUR **INTENSIFER** MN

 Removes all residues of epoxy-grout and similar Improves the appearance blemishes such as resins, of rough, absorbent natural sealants, oil and grease deposits, paint (graffiti), plastic residues, etc. colour, and makes water

£13.19

1ltr

.....

STAIN STOP MN

stain- sensitive natural and

engineered stone surfaces

tion of oil, grease and water

Largely prevents penetra-

Protects absorbent

against staining

£**36**.1



MOULD SPRAY

mould, fungus, algae etc

plaster, stone and masonry

Effective on tiles, silicon

and cement joints, on

Removes black spots,

£11.07

STAIN STOP ECO

Makes absorbent stone surfaces more vivid in colour and at the same time makes the surface water and oil repellent thereby largely preventing staining



STAIN STOP MN

Protects absorbent stain- sensitive natural and engineered stone surfaces against staining Largely prevents penetration of oil, grease and water

sales@dtw-tiles.co.uk



£16.63

1ltr

to heavy wear

ceramic finishes

£15.91

1Lt

INTENSIVE

CLEANER KF

CONDITIONING **CLEANER** KF

• For continuous care of floors subjected to normal levels of wear Cleans and maintains rough and polished surfaces streak-free



GROUT **PROTECTOR** KF

 For grout in ceramic surfaces. Protects against greasy dirt and spots in kitchen and bathroom, and makes maintenance easier



PS87 PR0 Professional Degreasing &

Cleaning Agent Porcelain Tiles & Quarry Tiles • Unpolished Stone & Agglomerates Glazed Ceramic Tiles Concrete & Terracotta Linoleum & Pvc



 Porcelain Tiles & Quarry Tiles Unpolished Stone & Agglomerates Glazed Ceramic Tiles Concrete & Terracotta Linoleum & Pvc



CEMENT RESIDUE REMOVER KF

 For occasional thorough For interior and exterior use cleaning or for regular on ceramic surfaces such cleaning of floors subjected as fully vitrified tiles, quarry tiles, clay payers, etc. Removes stubborn dirt, oil Dissolves cement and and grease. Suitable for all mortar residues, rust, lime, efflorescence and more



and tarmacadam

Brick, Masonry & Patio Cleaner

 Removes layers of wax, Fast acting, high strength sealants, tar, oil stains, Dissolves mortar stains lacquer and glue. Deposits Acid based, exterior use only are dissolved and can then Not suitable for use on be washed off with water. calcareous or polished stone



WAX OFF

MP90 ECO XTREME Water & Oil Repellent

Protective Agent With Reviving Effect Stone & Agglomerates Marble Granite





GROUT **CLEANER** KF

Restores joints of tile surfaces, walls and floors to their original colour Removes grease, oil and dirt deposits from joints in kitchens and bathrooms





DETERDEK PRO End of Work Cleaning Solution

IDEAL FOR Porcelain Tiles Glazed Ceramic Tiles Acid-Resistant Stone Surfaces Terracotta Quarry Tiles



Wet-Effect Toning Protective Treatment Unpolished Natural Stones Agglomerates Terracotta Tuff

34 Call: 02392 799 007





DEWALT SMOOTH NITRILE COATED WORK GLOVES

Ultradex Smooth Nitrile Grip ensures exceptional grip on dry, wet, or oily surfaces, keeping tools firmly in your hand for improved safety and efficiency

£ 74 Pair



MASK SNR 21dB

Fold Flat Valved Face Mask FFP3 Protects against non-toxic dusts, fibres and aqueous mists.

Sinale Only

l x Large

£**3**.01

£**2**.75

HI-VIZ WAISTCOAT EN471 Class 2. 100%

polyester. Velcro fastening.

SAFETY GLASSES



PPE

SAFETY HARD HAT - WHITE

Energy absorbing, lightweight and robust ABS material with 6-point adjustable cradle harness. Conforms to EN 397

each

£**8**.40 **SAFETY GOGGLES**

Lightweight safety goggles with a soft flexible frame. Includes ventilation. Will fit over spectacles.

£2.0

£4.76

each

EAR PLUGS

Hygienic

£ 1.60

Disposable

OTY: 5 pairs

Conforms to EN-352-1



for improved arip. One size fits all.

www.dtw-tiles.co.uk

PAG

sales@dtw-tiles.co.uk

POWER TOOLS

SELF-LEVELLING 12 LINES GREEN BEAMS LASER LEVEL



This 360 degree self-leveling green beam 12 line laser level easily aligns tiles, wall decorations, stair handrails, furred ceilings and plaster.

Accessories include:

- USB Charging
- Lithium-ion Battery
- Laser-target plate
- Green glasses
- Adjustable 3-leg bracket stand with integrated spirit level
- ✓ Magnetic bracket PV9 & PV6+



Suitable for extracting solid

particles (dust and cutting

waste) and water

Semi-automatic HEPA filter cleaning system

BIHUI VACUUM CLEANER 30L

- Blower function
- Dust full indicator

£**151.**21

- Power tool socket function
- On-board accessory storage
- ✓ Drain device for convenient liquid disposal
- Hose hook for easy transport and storage



CONCRETE GRINDER 1900w For the removal of old surfaces as well as preparing a new base for secondary renovation Suitable for materials such as concrete, tile, etching, tile adhesive, natural stone, plaster, paint, coating, adhesive carpet etc. Suitable for most 180mm discs Power-off & overloading protections Adjustable positioner ensures the consistent grinding of edges and corners £**318**.38

.....



VIRATION TILE BEATER



This cordless vibration tile beater is ideal for ensuring great adhesive coverage on large format floor tiles by vibrating and distributing adhesive evenly. The level indicator on the handle also shows when the tiles are flat and level across all sides.

PARE BATTER

£ 🗋 72

- Adjustable vibration switch
- Max. Lift: 25kg
- Voltage 16.8V
- Charging Time: 2 Hours
- Battery Life Indicator
- Comes with case, battery and charger

CORDLESS SCREWDRIVER

Cordless screwdriver with forward/reverse function and LED work light. Offers long run time

between charges. Supplied with 11

popular 25mm bits and 1 magnetic bit holder.

£19.7



RUBI 9N 240v ELECTRIC MIXER

POWER TOOLS

- 1200 W Motor Electronic variable speed trigger control
- Hi/low gearbox
- Thumb + finger start button to prevent accidental start
- Carry case not included



£124.54

RUBI E-10 CORDLESS MIXER

2 speeds Brushless motor with 360W power LED indicator of battery charge level.






- 1200 W Motor
- Electronic variable speed trigger control Hi/low gearbox
- Thumb + finger start button to
- prevent accidental start
- Carry case not included







38 Call: 02392 799 007



POWER TOOLS

PORTABLE MORTAR MIXER

A powerful portable mortar mixer with a compact and robust design. Suitable for mixing a variety of substances including cement, mortar, plaster and concrete.

- Removable paddles for easy cleaning
- Drum capacity 120L, 100L mixing capacity
- Socket opener on the lid for easier filling
- Voltage: 230V
- Drum Capacity: 120L(32Gal)
- Drum Rotate Speed: 30RPM



ELECTRIC HANDHELD MIXER 1800W - 110v

Specially designed paddle for fast and effective mixing of viscous materials.





MITRE JOLLY CUTTING SYSTEM


The Mitre Jolly Cutting System includes a mitre cutting frame with a BIHUI 5" angle grinder and an edge cutting blade in 125mm.



- Made of stainless steel with
- cushion stripe
- Cutting angle range 45-48°
- Max.cutting length unlimited Max.cutting thickness 19mm
-

VARIABLE ANGLE GRINDER 1400W - 110v

- For guality and performance in grinding, cutting, and polishing.
- With constant speed soft start
- Includes wrench, guard, side
- handle, carbon brushes
- ✓ 6 variable gears from 3,000-10000RPM



handle guick change blade cover


Please Note: Blade Not Included



- ✓ Dust collector for 32mm hood ✓ Suitable for M14 and 5/8"-11

angle grinder

- With 3M cord and
- power-off protection
- Spindle Thread 5/8"-11









SCREWDRIVER BIT & MAGNETIC HOLDER







TOOLS

MULTI-TOOL SET - 4 PIECE MULTI-TOOL SET - 8 PIECE GROUT REMOVER













General cutting set for £17.24 and tile cutting

wood, plastic, metal



TRANSFORMER 3.3KVA 16AMP - 2 SOCKETS 240V INPUT - 110V

110V Transformer with 240V input. Centre tapped to earth. Power factor 0.93lag. Waterproof to IP44.



CASSETTE REEL WITH TWIN SOCKETS

- 13AMP. 10 METRES - 240V

10 Metres of Cable encased in

a Cassette for protection and

neat storage. Equipped with

Thermal Cut-Out.

£**18**.0



PRO-XT 13A CASE CABLE REEL - 4 SOCKET. 15 METRES - 240V

This Cable Reel has a thermal cut-out switch on/off power button and a pull-out handle for quickly rewinding the cable when the job is complete.



www.dtw-tiles.co.uk





40 Call: 02392 799 007

sales@dtw-tiles.co.uk


RESISTANT PADLOCK 40mm Long Shackle Weather Resistant Padlock. Features a double locking mechanism, perfect for medium security

£ .93





40mm SHACKLE WEATHER





SQUARE HEAD MICRO SHOVE

A Micro Shovel with a Square Blade. It has an overall length of only 670mm, perfect for digging in confined spaces.

 Strong hammertone steel blade ✓ Tough fibreglass shaft



5 PIECE PAINT BRUSH SET

High quality paint brush set. Pack contains: $1 \times \frac{1}{2}, 1 \times 1^{"}$ 1 x 1½", 1 x 2" & 1 x 2 ½" paint brushes.



CABLE TIES

Offering a low cost solution to bundling cables, organising groups of wires and securing loose items.

✓ 300 x 4.8mm



CONTOUR GAUGE 5"

Simply press the contour gauge around pipework or architraves to trace the shape, then transfer to the tile.

 Ideal for fitting tiles, laying carpet, checking, dimensions, measuring mouldings etc.





ROLLER SET 9 INCH

Roller Sleeve, ideal

for emulsion

paints.

Includes a medium pile Polyester

RATCHET STRAPS

Medium duty sliding ratchet tie





4" MINI ROLLER SET Includes one roller head

for applying emulsion paints to smooth surfaces.



CABLE TIE MULTI BUNGEE CORDS PACK OF 500 (10 PACK) Contains: Contains: 🖌 3.6mm x 150mm, 2 x 25cm (Black) TRADE 100 x Black. 2 x 45cm (Red) TRADE 100 x White 2 x 60cm(Green) 4.8 x 200mm, 150 2 x 80cm (Blue) x Black, 150 x White 2 x 100cm (Yellow) £ .53 .53

COMBINATION **CABLE LOCK**

£**3**.96

Protective vinyl coating to enhance corrosion resistance and scratch prevention. Four dial combination, gives multiple locking options. Ideal for machinery. bicycles and ladders.



410MM BASIN WRENCH

£**8**?

This 410mm (16") Basin Wrench is manufactured from carbon steel and chrome plated for increased durability.

3 PIECE PTFE TAPE

The tape helps to securely

and radiator tails.

£ .98

seal threads on water pipes

pipe cuts in confined spaces.

ECLIPSE COPPER PIPE SLICER

The compact design allows for single-handed

spaces like behind walls or under sinks

The sharp cutting blade ensures clean and accurate cuts, minimising the need for deburring or filing after the cut

Manufactured from high-quality

aluminum alloy

FUSES PACK OF 3

An assorted selection of the

household mains plugs

🖌 3, 5 & 13amp

£99

most common fuses for domestic

operation, making it perfect for working in tight

FIXED CLAW BASIN WRENCH

This Fixed Claw Basin Wrench is manufactured from malleable cast iron and epoxy coated for increased durability. Size: 13mm & 19mm





£**5**.42

TOOLS

20cm ADJUSTABLE

Manufactured from drop forged

WRENCH



For cutting PVC. polythene, MDP and polyethene pipe, HEP 20, plastic overflow pipe and rubber hoses etc.





£ .17

£9.08

PVC ELECTRICAL

A selection of zinc plated carbon steel. worm drive hose clips with 7mm slotted hex head screws



Mixed Tray -

Hose Clips 25pcs









42 Call: 02392 799 007

sales@dtw-tiles.co.uk

60MM BOLSTER WITH GRIP

Drop forged induction hardened steel with heavy duty grip

£**3**.74

FLOOR SCRAPER

Heavy duty scraper with a sprung 300mm steel blade. 1450mm Strong fibreglass handle with grip and alloy frame.



JOINTING KNIFE

300mm wide flexible blued-steel blade, aluminium spine and comfortable handle.



TILE REMOVER/SCRAPER

Designed with comfortable soft grip handle and a wide 100mm stainless steel high quality blade.



HEAVY DUTY SCRAPER 380mm

This Heavy Duty Scraper includes an ultra-sharp 100mm blade specially designed for the removal of various materials including, silicone, wallpaer, paint from glass and more.



from BIHUI is made from one piece stainless steel construction and comes with an ergonomic handle for optimum weight balance. £**8**.34 **TILE NIPPERS** Tungsten carbide tipped jaws Sprung handles Ø Drop forged steel 210mm length 🖌 Vinyl grip £**8.**41 TRIM MITRE CUTTERS Designed for cutting PVC tile trim only

BIHUI - 10 IN 1 SCRAPER

This heavy duty multi-function scraper



SIDE CUTTER PLIER

Features soft grip vinvl handles with slip quard for increased comfort. 🖌 150mm (6") Side Cutter Plier



HEAVY DUTY BLADES FOR SCRAPER

10 x 100mm heavy duty scraper blades



SINGLE SIDED JAB SAW 6in / 150mm

Perfect for cutting small, awkward features in various building materials, such as punching through plasterboard.



HACKSAW TWINPACK 300MM (12") & 150MM (6")

Both frames have an all-metal construction for added durability.



HACKSAW 6'

Square section carbon steel frame with wing-nut blade tensioner



STEEL CLAW HAMMER

Tubular steel shaft and rubber grip handle 🖌 450g (16oz)



CARBIDE GRIT FILE HALF-ROUND

Made from tungsten carbide welded to mild steel blanks.



Unlike conventional files they cut in any direction and remove material much faster. For use on many materials

£8.47

HARDPOINT HAND SAW 550MM (22")

High-quality, affordable saw that is perfect for cutting wood, MDF, chipboard, moldings, flooring, and PVC.

TOOLS



MITRE BLOCK Our Mitre Block has been designed by a professional, for professionals. It has been crafted with you in

mind and is able to accommodate any shape trim you can throw at it.

£6.69

RUBBER MALLET - 500g

White head to help eliminate marks on tiles.



LUMP HAMMER

This Lump Hammer has a 2.5lb head and a lightweight fibreglass handle with a comfortable rubber grip.



PLASTIC TRIM MITRE CUTTERS

- Heavy duty multi angle hand cutter
- ideal for cutting plastic tile trims.
- 7 preset angles for precise cuts.
- Non slip soft grip handles



£ .55



🖌 Replaceable Blade

£22.43





and plastic dispenser for safe and convenient storage.

sales@dtw-tiles.co.uk

www.dtw-tiles.co.uk





including wood, chipboard, tiles and plaster.



SELF-ADHESIVE LEVELLING HEIGHT PEGS

Plastic, Self-adhesive height measurement pins for use with self levelling screed.



TWIN-PACK FOLDING

 Each support holds a maximum load of 181 kg
 Anti-slip rubber feet
 Dimensions (cm):

57.5 x 8.9 x 81.9

£**41**.37

RUBI-FOLDING 4 IN 1 WORKTABLE

The foldable work table has 4 outstanding functions: Workbench, scaffolding, wheelbarrow and mechanical stretcher. Weighing only 14.2 kg, it is very easy to transport and store.

Folded table: 80 x 52 x 12.5cm
 Unfolded table: 115 x 52 x 80cm



BIHUI LARGE FORMAT WORK BENCH

A lightweight, robust and stable workbench for large-format tiles, enabling cutting / drilling without risk of damaging the work surface. Easily assembled for transport and storage and can be mounted together with additional tables for increased work surface, features includes foldable legs and adjustable rails.



Strong load bearing up to 80kg For tiles & glass 16.63 TOOLBOX WITH TOTE TRAY



Length: 49.3cm

Width: 25.6cm

Height: 24.8cm

ADJUSTABLE TILE

SUPPORTS (PAIR)

Height freely adjusts

from 1-25cm





RUBI SLAB TABLE

Workbench for cutting and handling large-format ceramic sheets using the tools of the SLAB SYSTEM range.

The extra reinforced aluminum bars give the SLAB TABLE a high rigidity and great stability. Giving it a maximum load capacity of up to 250 kg.



46 Call: 02392 799 007

sales@dtw-tiles.co.uk



sales@dtw-tiles.co.uk

MAPELASTIC AQUADEFENSE TANKING KIT



A ready to use kit for the rapid waterproofing of bathrooms, wet rooms and showers to receive tiles after 4 hours



The tanking kit comprises of Mapelastic AquaDefense and Mapeband PE 120, which is used to form waterproofing layers before applying ceramic, stone and mosaic coatings to areas in contact with moisture and running water.



PAINT KETTLE

A tough and durable paint kettle, manufactured from solid plastic with a metal handle. Ideal for mixing and storing paints.





25

S BA

bucket

WASH BOY

BUILDERS BUCKET

Multi-purpose

bucket ideal for

batches of materials

such as adhesives,

cement, plaster etc.

ROCATEX BUCKET

Heavy duty mixing bucket with strong

measuring guide

inside the bucket.

handle and

mixing large

£2.10



15L



rubble removal or mixina Frostproof and UV proof 25 LITRE £**5**.07 421 42 LITRE £ .35

BAL MIXING BUCKET

Mixing Buckets with metal handle and a measuring guide for accurate measuring of adhesives, grouts and levelling BAL compounds. mixing bucket



5 LITRE

£**3**.49

£14.40

20 LITRE

£**6**.15

By purchasing our tiling kit you will be saving up to 20% than if buying each item separately.

£**8**.91 **BUCKET SCOOP** Curved blade design

for clean removal of materials. Stainless steel blade with soft grip handle.

20.69




ROCATEX

WORK WIPES

Everbuild Wonder Wipes, the most popular commercial wipe for builders and tradesmen. These wipes come in handy the most when there is no running water on site.

Anti-bacterial.









DUSTPAD & BRUSH

Easy clip handle keeps brush and pan together for storage.



RUBBLE SACKS - 5 PACK

20" x 30" Rubble Sack 460 Gauge 30 kg Capacity Pack of 5

> GELSTURIOS **Heavy Duty Rubble Sacks**

£ .59

ASSORTED WIPING RAGS 10KG

Large guantity of mixed rags in a vacuum pack for convenient storage and dispensing. Ideal for general cleaning and wiping jobs on site.



COCO BRUSH 10" - COMPLETE Replacement . Broom Handle 47" x 15/16" £1.59

TOOLS



£**3**.50


Replacement

Broom Handle

POLY BRUSH 11" - COMPLETE



£**8** na





2 LARGE MICROFIBRE CLOTHS

The Rochley microfibre cloth is a great all-rounder for most cleaning tasks and with just water removes 99.9% of bacteria.



BLUE 2 PLY HAND ROLL TISSUE

A versatile dispensing system for anyone who needs lengths of absorbent tissue to wipe things or dry hands. The core of the roll is removable





50 Call: 02392 799 007

sales@dtw-tiles.co.uk

ORIGINAL MULTI PURPOSE LUBRICANT 400ML

GT85 is a non-sticky formula containg PTFE to form a long-lasting, lubricating film and protective shine. A light overall spray will seal out dirt and dust and moisture.



PROFESSIONAL TILE SPONGE

This versatile, high-absorption Professional Hydro Sponge is incredibly absorbent and makes easy work of cleaning off excess grout and adhesive residue during tiling.



STONE GRADER

Stone Grader for use with the Triton Whetstone Sharpener TWSS10. For dressing the grinding stone.



MIXING PADDLE ZINC PLATED

For use with electric drills. To mix paint, plaster, cement slurries and textured coatings. Hex shank. Requires 10mm or larger chuck.

TIP

 Length 580mm with 100mm paddle



SPIKED ROLLER

The Spiked levelling Roller is essential when self levelling your subfloor with a self levelling compound. The Spiked roller removes trapped air bubbles in the compound, preventing them from showing on the surface once dry. This ensures for a flat and suitable subfloor when moving on to the installation of your flooring.

MINERALISED METHYLATED SPIRIT

For thinning French polish and cleaning glassware, most hard surfaces and more.

Smear free hard surface cleaner
 Cleaner, degreaser & stain remover



£**5**.18

£**160**.17

HYDRO SPONGE & HOLDER

A lightweight float with a heavy-duty foam sponge. It is ideal for cleaning large areas of freshly grouted tiles quickly.

Dimensions: 280mm x 140mm

SHEET PRESSER ROLLER

- For the laying of decoupling mattings and preformed membranes laid with adhesive ahead of tiling.
- Designed to be weighted with an adhesive bag or whatever else is convenient to hand

Convertiends for easy storage



ROCATEX

C2TE S1 Slow Flex Grey

Grey Slow Set Flexible Adhesive for Tiles & Natural Stone

ROCATEX C2TE SI Slow Flex Grey is a single part, flexible wall and floor tile adhesive for fixing natural stone and tiles including ceramics, porcelain and mosaics to a variety of substrates. Suitable for interior and exterior use.

- Ceramic / Porcelain / Mosaics
- Natural Stone / Flagstones
- Screeds / Concrete / Timber
- Underfloor Heating
- Swimming Pools / Wet Areas
- High Grab
- Non-Slip
- Interior / Exterior

1-20mm / 3 Hours / 12 hours Bed Thickness / Pot Life / Set Time



ROCATEX



www.dtw-tiles.co.uk

sales@dtw-tiles.co.uk

HEAVY DUTY TRIMMING KNIFE BLADE DISPENSER - 100 PIECE Suitable for all makes of

trimming knives



SNAP-OFF KNIFE SET 9mm & 18mm

A 2 Piece Snap-Off Knife Set with a smaller 9mm and larger 18mm wide blades.

DOUBLE ABS SUCTION CUP 117mm Double ABS suction cup with 70kg capacity.



BATTERY POWERED VACUUM SUCTION CUP

- ✓ Use on smooth & textured surfaces
- Suction cup for handling large and heavy tiles Lifting capacity is 130Kg



METAL CHALK LINE

Lightweight aluminium alloy body, self chalking line and metal claw. Can be used as a plumb bob. Fold-away winding handle and screw-top filler cap.



PREMIUM KNEE PADS

- Foam core gives maximum cushioning
- Perforated neoprene lining
- One size fits all
- Velcro straps & Pressure clips for added stability & comfort



15m



54 Call: 02392 799 007







£**8**.80

HEAVY DUTY SUCTION CUP

Heavy duty suction cup that features a clear visual guide to let you know when full suction has been achieved

LOCK BACK

TRIMMING KNIFE

with belt clip and supplied

Ouick change blades

with 10 spare blades.

£**6**.13






25mm SPIKED SHOES



NEOPRENE LEATHERETTE X LARGE KNEE PADS

Extra large, rugged and durable Knee Pads with soft premium grade Neoprene Strap. Won't leak or puncture

Machine Washable



CARPENTERS PENCIL & SHARPENER SET

The pencils are medium hardness (HB), suitable for all general carpentry. The included sharpener will fit all types of carpenters pencils.



ASSORTED CHINA PENCILS

Specially designed for marking on to ceramic tiles, the pencil lays down a clear visible line irrepsective of surface or grain.

2 x Pencils Per Pack Pencil Length: 175mm



BIHUI TILE MARKER PENCIL

Mark on most surfaces. Comes with 6 spare leads & handv sharpener.



RUBBER BACKING HOLDER FOR POLISHING PADS

Size: 4"

 M14 thread to angle grinder Velcro connection to polishing pad



DRY POLISHING PADS - 100mm

Great for polishing flat surfaces and bevelled edges. Porcelain, Travertine, Marble, Terracotta and more!

 \bigcirc



BUILDERS PERMANENT MARKERS - FINE TIP -MIXED COLOUR 4PK

Premium quality permanent marker pens for use on multiple materials including cardboard, paper, plastic, glass, tile, metal, masonry and wood.



11 PIECE PENCIL & SHARPENER SET



BIHUI TILE MARKER PENCIL - SPARE LEADS

















www.dtw-tiles.co.uk

TOOLS





MANUAL TILE CUTTERS

MANUAL TILE CUTTERS

£364



BIHUI C-LION MANUAL TILE CUTTER

- ✓ Double-layer aluminium alloy chassis, strong and durable.
- Tungsten carbide scoring wheel with etched scale for using with different tile thickness.
- Anti-rotation handle for change of scoring wheels from Ø1/4"(6mm) to Ø7/8"(22mm). Ø7/8"(22mm) scoring wheel included.
- LED light for extra vision.



BIG JAKE TILE CUTTER Designed to take on more rigorous work, the JTC600 will perform favourably on ceramic floor and wall tiles and some porcelain. Carbide wheel included.

LENGTH GOCM Cutting Length: 60cm Cutting height: Up to 14mm



RUBI TX-1020 MAX MANUAL CUTTER

For intensive cutting of all types of ceramic,

Diagonal cutting length: 70cm x 70cm Cutting height: 3-21mm Separator power: 1200kg Includes carry case

RUBI TX-1250 MAX MANUAL CUTTER

For intensive cutting of all types of ceramic tile, ideal for porcelain and extruded tiles.



Cutting Length: 125cm Diagonal cutting length: 85cm x 85cm Cutting height: 3-21mm Separator power: 1200kg Includes carry case

RUBI PRACTIC-61 PLUS MANUAL CUTTER Light, robust and with premium finishes ideal for small and

finishes, ideal for small and medium-sized renovations, even in small spaces. LENGTH G1cm

Cutting Length: 61cm Diagonal cutting length: 43cm x 43cm Max cutting depth: 10mm

.....

RUBI TX-710N MAX MANUAL CUTTER

The TX-710N professional manual tile cutter is perfect for INTENSIVE cutting of all types of ceramic tiles. Thanks to its high-performance MULTI-POINT separator and its rotating square system, the TX-710N allows easy and quick execution of angular cuts (from 0° to 45°) especially on porcelain stoneware tiles (Ala/Bla). Its great separation power (up to 1200 kg) allows the TX-710N cutter to have excellent performance with extruded stoneware.

Cutting Length: 710mm(29-1/2") Cutting Thickness: 3 - 21mm Includes carry case

MANUAL CUTTING RAIL

The BIHUI Manual Rail Cutting System is the perfect solution for the cutting of large format tiles with thicknesses between 3-6mm. Packed in plastic case and tool bag, this 3 rail system has a cutting ability of up to 3.6m.

System includes:

- 1 x Cutting Carriage
- 2 x Cutting Wheels
- 1 x Breaking Plier
- 2 x Break Clamp Device
- 🖌 2 x F Clamp
- ✓ 3 x Aluminium Rails with Suction Cups

SLIM CUTTER PLUS MANUAL CUTTER

Designed for cutting porcelain sheets with formats greater than 300 cm x 100 cm and with thicknesses from 3 to 10 mm. The G1 guides are made of aluminum and are assembled together to guarantee perfect scoring, always 1 cm from the edge of the guide itself. The suction cups will help fix the guide on the ceramic tile and prevent it from moving. The G1 guides also have two silicone strips to help fixation.

The set consists of:

4 G1 guides of 110 cm; 1 scratching cart with Ø22 mm EXTREME roller (ref. 01901); 1 separator pliers; 3 fixing suction cups, and a reinforced nylon carrying bag.

.....



BIHUI

£**337**.09



sales@dtw-tiles.co.uk

£620.3

£**521**.

ELECTRIC TILE CUTTERS

DC250 ELECTRIC CUTTER

The DC-250 saw is ideal for intensive cutting of glazed and stoneware tiles, as well as for porcelain tiles cutting or occasional cutting of natural stone.

Available in two sizes: DC-250 850 with a cutting length capacity of 980mm and DC-250 1200 with a cutting length capacity of 1205mm



Features

Single phase direct drive motor, 1.1 kW (1.5 hp) with thermal protector.

- Blade cooling with a controllable water pump
- Mobile head on bearings and foldable at 45° for mitre cuts.
- High structural rigidity in chassis.
- Includes diamond disc CEV-SUPERPRO Ø250 mm.
- Machine supplied without cable (Remember to include the cable in your order).

ELECTRIC WET TILE CUTTER 230V

A robust heavy duty electric wet tile cutter which is ideal for cutting all types of wall and floor tiles. This guality electric wet tile cutter gives you precision and efficiency for all your tiling projects.

With a robust 600W motor operating at 2900 RPM, this cutter effortlessly handles various tile materials, ensuring consistently clean and precise cuts every time.

- Adjustable metal cutting guide
- 110v cutter with carry case
- Adjustable work table that
- can be used for miter cuts Water cooling system to aid repeat cuts





RUBI TC125 - CIRCULAR SAW KIT

The TC-125 kit is part of the SLAB system for cutting all kinds of ceramic tiles, ceramic sheet, natural stone, sintered stone and especially suitable for large tiles. The kit includes all the elements necessary for cutting, with the TC-125 circular saw, of these materials.

Equipped with a carbon steel plate on adjustable stainless steel radial bearings. Including a double dust reduction system. Suitable for wet or dry cutting.

CIRCULAR SAW KIT With Carry Bag, Clamps & Suction Pad



Features

- Direct connection to vacuum.
- 1 Regulation valve and quick connection for hose ** (Ø16 mm). Rubber stopper for the suction outlet. IMPROVES ergonomics in wet cutting.
- Switch with SECURITY lock to avoid accidental start-up. Compatible with Ø125 or Ø115 mm blades.
- (Suitable for diamond blades with reinforcement bar, type TVA).
- **BIHUI ELECTRIC CUTTER 1500w**

An electric dry cutter for large format tiles. Suitable for cutting tiles up to 3.2m, with a cutting angle of 45 degree and 90 degree. Comes with a dust extractor hood and adaptor to a vacuum machine. Compatible with the Bihui Rail system on page 57.



Features include: 1,500W, 220V





58 Call: 02392 799 007

sales@dtw-tiles.co.uk

- Injected aluminum disc protector with transparent polycarbonate lid with quick opening and closing system. Tilting side guard for mitre cutting. REDUCES water splash and IMPROVES dust suction.
- Includes TCR-125 SUPERPRO diamond blade (dry cut), carrying case and accessories. For easy transport and storage.

TILE CUTTING & HANDLING

SLAB TRANSPORTER - HEAVY DUTY

The SLAB TRANS HEAVY DUTY N transport system is specially designed for handling large-format sheets and tiles up to 360 cm long and 160 cm wide.

It is made up of a set of two reinforced, retractable and adjustable extruded aluminum guides, and two perpendicular crossbars that increases the robustness and stability of the whole assembly, especially when handling the heaviest pieces.

Features

Fully adjustable from 165cm to 320cm

- 1 Maximum load capacity: 140kg
- 1 Dimensions: 3800 x 1700 x 237mm (fully extended)
- 1 Maximum handling size: 360 x 160cm
- Reinforced aluminium profile. Greater structural strength
- Equipped with six vacuum suction cups, Increased load capacity 1



RUBI - SLAB TROLLEY

Transport and maneuvering system for large format tiles. Especially indicated for the HANDLING of tiles with thicknesses from 6 mm.



LARGE FORMAT WORK BENCH

A lightweight, robust and stable workbench for large-format tiles. It's easily assembled and can be mounted together with additional tables for increased work surfaces.

£1,424.05





sales@dtw-tiles.co.uk

RUBI - SLIM CUTTER PLUS CAR SET

Scoring carriage, with a handle to facilitate the work, mounted with a Ø 22 mm tungsten carbide scoring wheel with bearings.

£**43**10

Can be used with the Circular Saw Kit, page 58



RUBI TS SCORING WHEELS

Suitable for scoring, and subsequent separation of ceramic tiles of any type. Designed, mainly to work with ceramic materials that have glazed or natural surfaces with smooth and / or slightly rough finishes.

FITS: TX-1020, 7X-710N & TX-1250



EXTREME wheels are made of high quality tungsten carbide, with a special coating of titanium carbide.

For the scoring of ceramic materials with rough and structured surface finishes

.....

FITS: TR Magnet, TS Max & Speed Magnet

BIHUI C-LION MANUAL TILE CUTTER - SPARE CUTTING WHEEL





.....

For C-Lion Manual Cutter, see page 56

www.dtw-tiles.co.uk

YOU MAY NEED!

CUTTING WHEELS

DRY POLISHING PADS





RUBI TX SCORING WHEELS

Suitable for scoring, and subsequent separation of ceramic tiles of any type. Especially suited to textured or extremely hard tiles and with a triple groove shaft for greater precision in scoring.

FITS: TX-1020, 7X-710N & TX-1250



Made of high quality tungsten carbide. Its grinding, unitary, guarantees an angle of incision, exact and precise.

 RUBI ENDURE wheels are ideal for excellent cuts in ceramic and porcelain tiles with a high cutting difficulty

Compatible with all Rubi manual cutters

BIG JAKE JTC600 -SPARE CUTTING WHEEL



OPENING A DTW TRADE ACCOUNT



Sign up to our trade credit account today and you'll benefit from...

- Up to 60 Days to Pay
- Free Site Deliverv*

- Bulk Buy Discounts & Pallet Deals

SEE PAGE 90 FOR TRADE APPLICATION FORM

115mm Cutting Blade

RUBI TURBO VIPER - TVA HARD MATERIALS DIAMOND BLADE

Application: Dry

Features & Benefits:

- Recommended blade for cutting hard materials such as granite, rustic tiles, clinker, refractory, slate and porcelain tile.
- The specific design of the diamond band offers greater speed of cutting harder materials without sacrificing finish quality.
- Only for straight cuts, not suitable for mitring

Suitable for:

Granite, rustic tiles, klinker, refractories, slate and porcelain tiles

BIHUI - Professional Grinding Diamond Dual Row Wheel

BU-DCWD5 Dual row diamond grinding wheel with 45-60 grit, 125mm designed for Standard Angle Grinders.

Suitable for rough grinding of granite, concrete and masonry surface materials.

- Ideal for bevelling, smoothing and sharpening
- Grinding rough surfaces
- Stable and durable
- 125mm (5") diameter

FOR ANGLE GRINDER

62 Call: 02392 799 007



250mm Cutting Blade

WET/DRY ANGLE GRINDER EXTREME THIN DIAMOND CUTTING BLADE

The ultimate dry cutting blade for fast & clean cuts Extremely thin segments improve cutting performance 115mm x 22.23 Wet & Dry Turbo Angle Grinder Blade Reinforced Core ensures straight cuts at higher speeds Can be used wet and dry



WET/DRY MITRE PRO 2 IN 1 **DIAMOND DISC**

Combines quality cutting with smooth grinding Suitable for: Porcelain tiles, ceramic,

115mm Cutting Blade

NETAL & STAINI

115mm Cutting Blade

- natural stone & more!
- Cut depth 15mm

FITS

CERAMIC, NATUR 22.23mm bore hole

METAL CUTTING BLADE FOR

For the dry cutting of stainless

steel & aluminium profiles Ideal for cutting tile trim

For use with angle grinders

✓ 115 x 1.2 x 22.2mm

EITS

STAINLESS STEEL & METAL TRIM





- ✓ Wheel has a 22.23mm bore hole, that can be reduced to 16mm with the spacer bush included
- Suitable for angle grinding tools & wet tile cutters
- Reinforced Core



GLASS CUTTING BLADE 110mm x 22.23

- Suitable for the wet cutting of glass & glass mosaic tiles
- Max Cut Depth 20mm Max RPM 13800
- ✓ Suitable for use with Tile Rite TRP438 450w portable electric tile cutter
- 110 x 1.3 x 22.3mm





sales@dtw-tiles.co.uk

www.dtw-tiles.co.uk

Fxclusive Trade Offers Loyalty Gift Points



..... ask at reception

DRILLING

SIZE

COST

BIHUI PRO-WET FLEX DIAMOND HOLE SAWS

Diamond brazed hole cutter with dust discharge hole, designed for dry use. Suitable for drilling most materials such as Porcelain, Marble, Granite and Travertine.

SIZE

6mm

8mm

10mm

25mm

30mm

35mm

20m

COST

£5.28

£6.29

£7.31

£16.62

£19.30

£26.72

£28.22

£**6**.03

BIHUI M14 DRY DRILL BITS

Suitable for drilling porcelain, marble, granite and travertine with a diamond brazed cutting rim with dust discharge hole. The M14 Thread fits directly onto angle grinder with 11,000rpm.



M14 DIAMOND HOLE SAW SET

The Bihui Diamond Turbo Drill Set comes

- Designed for drilling dry into all types of ceramic tiles, as well as porcelain, stoneware, marble
- ✓ Vacuum soldered provides very fast and high quality
- Extremely resistant to high temperatures and friction, as well as significantly increased life of the crowns

Max drill speed: 14,000 rpm



bits of diameters: Ø 6, 8, 20, 35, 50 a protective Bihui carry case.


BULLNOSE **GRINDING WHEEL**

Perfect for use with angle grinder. Suitable for grinding Hard Tiles, Porcelain tiles, Ceramic tiles etc.



DIAMOND MILL M14 BIT 2-38mm

For enlarging, counter sinking, shaping and smoothing after drilling tiles to prevent tension and cracking.



64 Call: 02392 799 007



COOLING WAX 20ml

Simply switch the drill off, and

Cools, cleans and lubricates diamond drill bits.

Please note: Do not engage

DIAMOND MILL

M14 BIT 20-48mm

the bit while submerged in the

a couple of seconds.

sink the core bit into the wax for

12mm).

cooling gel.

Cooling wax for optimal performance of diamond core bits (diameters up to

CUTTING & GRINDING WHEEL. M14 CONNECTOR

For wet and drycutting of natural stone andgranite ceramics.





in a samrt aluminium case, containg 6 diamond core drill bits recommended for drilling all types of ceramic tiles. Also suiable for porcelain stoneware, marble and granite.

Features

- and granite
- dry drilling



sales@dtw-tiles.co.uk

EX7RA! EX7RA!

NOW GIVING YOU EX7RA...

PER PALLET

50 BAGS

GREY 20kg

Only £15.99 a Bag

同门科

99.50

PER BAG

GREY 20kg

EXTRA FLEXIBILITY

EXTRA STRENGTH & GRAB

EXTRA POT LIFE (+50%)

IMPROVED NEW FORMULATION WITH FIBRE TECHNOLOGY



ardex.co.uk

The rapid setting, flexible adhesive for wall and floor tiling

GROUT FLOAT - STRAIGHT

Suitable for low & high density grout, PVC handle, aluminium backing with white rubber face & beveled edges for ease of spreading.



Base dimensions: 240mm x 102mm

PROFESSIONAL GROUT FLOAT (HARD)

This professional grout float has a one piece plastic handle which is lightweight for ease of spreading, the base has a black rubber base with rounded and bevelled edges.



Base dimensions: 215mm x 112mm

SCOURING & CLEANING PADS

Set of 3 with new handle, White fine, Brown medium, Black coarse.



PRO FLOOR SOUEEGEE 450mm

Black double-weight natural rubber, steel frame, compatible with wooden and aluminium handles, locked with the locking screw.



www.dtw-tiles.co.uk

£**6**.72

GROUT FLOAT - ANGLED

A wooden handled pointing float, with a aluminium base ideal for awkward areas.



FLOATS

HYDRO SPONGE & HOLDER

This quality tile wash float is a lightweight float with a heavy-duty foam sponge. It is ideal for cleaning large areas of freshly arouted tiles auickly.



Sponge dimensions: 280mm x 140mm

Genesis Replacement Grout Float For Trowel Box Set

Genesis - Ouick Switch Grout Float attachment.



PROFESSIONAL TILE SPONGE

£2.26

This versatile, high-absorption Professional Hydro Sponge is incredibly absorbent and makes easy work of cleaning off excess arout and adhesive residue durina tilina.



TROWELS

3.5mm SQUARE NOTCHED TROWEL

3.5mm Square Notched trowel for spreading adhesive, ideal for wall and floor tiling.



8mm SQUARE NOTCHED TROWEL

8mm Square Notched trowel for spreading adhesive, ideal for wall and floor tiling.



12mm SQUARE NOTCHED TROWEL

12mm Square Notched trowel for spreading adhesive, ideal for wall and floor tiling.



2mm V - NOTCHED TROWEL

68 Call: 02392 799 007

Ideal trowel for fixing uncoupling matting with AF200.



6mm SQUARE NOTCHED TROWEL

6mm Square Notched trowel for spreading adhesive, ideal for wall and floor tiling.



10mm SQUARE NOTCHED TROWEL

10mm Square Notched trowel for spreading adhesive, ideal for wall and floor tiling.



3mm V - NOTCHED TROWEL

Ideal trowel for fixing uncoupling matting with AF200.



LEVELLING TROWEL

This levelling trowel helps to achieve a flat and level surface finish. Ideal for use with self-levelling compound.



Plate dimensions: 405mm x 114mm

sales@dtw-tiles.co.uk

SOFT GRIP BUCKET TROWEL

This bucket trowel features a soft grip handle for easy holding & spring steel blade for strength and flexibility.



GAUGING TROWEI

Perfect for mixing adhesive or grout and in moving the mixed adhesive or grout to the trowel. Made of hard wearing but flexible spring steel.



WOODEN HANDLE POINTING TROWEL



CORNER GROUT TROWEL/FLOAT

Suitable for grouting small and awkward areas.



QUICI

WITC

£42.15

£**88**.

STAINLESS STEEL XL TROWEL BOX SET

Comes complete with 6 blades (480 x 130mm) plus 2 interchangeable handles and carry case which is ventilated at the bottom, making the cleaning process a whole lot easier and convenient. The interchangeable handles enables this trowel to be used by left or right handed professionals with ease.

- Premium Stainless Steel Blades
- Interchangeable TPR Handles
- Square Notch 6mm, 8mm,10mm & 12mm
- 🖌 Tiger Trowel
- Angled/Diagonal Trowel

STAINLESS STEEL CERAMIC TROWEL BOX SET

Comes complete with 6 blades, an interchangeable handle and carry case which is ventilated at the bottom, making the cleaning process a whole lot easier and convenient. The interchangeable handle enables this trowel to be used by left or right handed professionals with ease.

- Premium Stainless Steel Blades: 280mm x 115mm
- Square Notch 4mm, 6mm, 8mm & 10mm
- 🖌 Diagonal
- Universal Tiger Trowel

REPLACEMENT HANDLE FOR STAINLESS STEEL TROWEL SETS. 25.68

www.dtw-tiles.co.uk



TROWELS

TILE TRIM

TILE TRIM




70 Call: 02392 799 007

sales@dtw-tiles.co.uk

www.dtw-tiles.co.uk

All prices exclude VAT **171**

TRIM & JOINTS



no drilling required! **PVC VINYL PLASTIC COVE FORMER** A Flexible PVC Strip used to provide a neat A PVC profile is designed to provide a neat finish to the edge of soft resilient flooring cove when floor coverings are used (eq. vinyl) where it has been to return up a wall to coved up the wall form a skirting. W38mm x D35mm £**2**.61 £**2**.76 2M Length **CHROME RETRO FIT CHROME RETRO FIT CORNER PROTECTOR CORNER PROTECTOR** - Self Adhesive Width: 20mm Length: 2.5m Width: 10mm Length: 2.5m 40mm CHROME TRANSITION BAR 22mm STAINLESS **STEEL BRUSHED** Width: 40mm **CORNER GUARD** Length: 0.92m £21.12 0.92M Length e**6**58 **TVR - Aluminium 40mm ALUMINIUM Reducer 5mm COVER STRIP** Width x Depth: 39mm x 5mm - Self Adhesive Length: 2.7m Width: 40mm Length: 2.7m e**11**6

72 Call: 02392 799 007

sales@dtw-tiles.co.uk

www.dtw-tiles.co.uk

GROUT JOINT SHOWER SHELF

£15.36

Stylish shower shelf in brushed stainless steel

finish. Fits in 90 degree corners. The shelf attaches in the grout joint with silicone -

£21.31

SAFETY VINYL FLOORING

TILE WALL COVERING

Tarasafe H₂O

High performance vinyl safety flooring for wet applications

Tarasafe Ultra H2O is a high performance, slip resistant, safety flooring for wet and dry, barefoot and shod applications. This enhanced slip resistant safety vinyl floor covering has a raised emboss and is designed for applications where there are continuous wet areas.

It provides exceptional barefoot comfort and is an ideal solution for wet rooms, showers and changing rooms. It has a 12-year warranty and is 100% recyclable.



Mural Revela Wall Covering

The complete wall covering solution that is both waterproof and stylish, ideal for shower & bathroom renovations



Supplied in rolls, applied with adhesive.



16 designs to choose from



74 Call: 02392 799 007

sales@dtw-tiles.co.uk


£17.63m²




It Rocks - 60cm x 60cm x 20mm

External Glazed Porcelain • Matt Finish • Wall and Floor

IT Rocks is one of our most popular patio tiles. Available in four colours, each tile combines subtle tones producing a gentle textured effect and with a non-slip surface perfect for your outdoor space.



45cm x 90cm x 20mm



20mm Edging Tiles





ROUND EDGE - INTERNAL 300mm x 600mm (Pk of 2) **£POA** 450mm x 900mm (Pk of 2) **£POA**

600mm x 600mm

£28.47 m

450mm x 900mm £35.12 m

ROUND EDGE - EXTERNAL 300mm x 600mm (Pk of 2) **£POA** 450mm x 900mm (Pk of 2) **£POA**

 ROUND EDGE - STRAIGHT

 300mm x 600mm (x 1)
 £POA

 450mm x 900mm (x 1)
 £POA

sales@dtw-tiles.co.uk

Slowood - 30cm x 120cm x 20mm

Full Bodied Porcelain • Matt Finish Wood effect tiles with a slightly textured surface along with realistic knots and grains.





Pro-Slurry Primer External tiling slurry Primer

www.dtw-tiles.co.uk









All prices exclude VAT **77**

Stone - 60cm x 60cm x 20mm

External Glazed Porcelain • Matt Finish • Wall and Floor

Our Magma range boasts a soft and beautiful texture with a fresh and elegant finish giving a clean and modern look. Due to new "Soft Grip" technology, this range provides an R11 slip rating whilst also feeling comfortable for barefoot traffic.





externally on slabs, sand and cement or modern pedestal systems.

600mm

x 900mm

£24 60 m

600mm

x 600mm

£**28**.61 m

Burlingstone - 60cm x 90cm x 20mm

Internal & External • Porcelain • Matt Finish • Floor

With a gentle texture and rustic appearance, these stone effect tiles will compliment most garden colours and designs.





Slate Rock - 60cm x 60cm x 20mm

External Glazed Porcelain • Matt Finish • Wall and Floor

Firelink is a hard wearing, low maintenance porcelain tile. This range provides an R11 slip rating and offers comfortable barefoot walking due to it's 'soft grip' technology.



Firelink can be laid externally on slabs, sand and cement or modern pedestal

systems.





SEE PAGE 90 FOR TRADE APPLICATION FORM


78 Call: 02392 799 007

sales@dtw-tiles.co.uk

WALL TILES

White Collection


Contract Range WALL & FLOOR TILES



Matt White Plain White Bumpy White Mid Grey Putty Rice Black PR103 PR101 PR100 PR40 PR70 PR10 PR75 148 x 148 148 x 148 148 x 148 148 x 148 150 x 150 150 x 150 150 x 150 **E 11.88 m² E 11.88 m² E 11.88 m² E 15.84 m²** £ 1.44 m² £ 1.44 m **STIGES** WALL TILES **Bevel Black Bevel White** Light Grey DTW-202A DTW-203A DTW200-A 200 x 100 200 x 100 £**13**.00 m £12.50 m² **BELLAGIO GLOSS** DOLCE WALL TILES 250 x 400 £12.40 m² 333 x 550 £15.04 m² Gris Blanco Gris MINERVA WALL TILES Perla Decor Marble White 250 x 400 £12.40 m²

UPTOWN FLOOR TILES (Matt Finish - Glazed Porcelain)

£16.67



www.dtw-tiles.co.uk

sales@dtw-tiles.co.uk

WALL & FLOOR TILES Contract Range







Our Nebraska range is the ideal range for any home, with over 12 different variations across the 5 unique colours, this range really can give the effect of a natural wood floor, without any of the expensive upkeep.


NEBRASKA FLOOR TILES - 230mm x 1200mm





Eclipse is a next-generation of luxury vinyl flooring (LVT / SPC) that combines five layers at a total thickness of 5mm, including a special wear layer that protects against scratches, spills, and sun damage.

The installation of the Eclipse range is easy, quick, clean, and quiet. With its waterproof Rigid Core technology, as well as antibacterial and acoustic qualities, this new LVT / SPC Collection can help you create comfortable working and living environments in a wide range of commercial settings too, from sports centres to schools, from hospitals to offices, and other public spaces.



Light Oak

178mm x 1220mm £19.37 m²

www.dtw-tiles.co.uk

sales@dtw-tiles.co.uk

VINYL FLOORING



Palio by Karndean luxury vinyl flooring is a collection of contemporary designs, available in three fitting formats: rigid core, loose lay and gluedown.

Inspired by real wood and stone these robust, pre-cut planks and tiles offer highly realistic designs to compliment any design project.



STOCKED COLOURS





TO ORDER COLOURS



TORCELLO

Stone Effect

500mm x 610mm (19" x 24")







Product overview

We offer three types of product in our Contractors range:

Gluedown, Loose Lay and Rigid

Rigid

Gluedown

Looselav



Choose Rigid when...

- · You want superior acoustics, such as in loft conversions or upstairs rooms.
- You want a guick installation.
- You want to install over an existing floor such as ceramic tiles or floorboards, or uneven subfloor.
- You have a damp subfloor, sometimes found in new builds or extensions.

(OU MAY NEED!



Choose Gluedown when...

- You want to create your floor, with different laying patterns, design strips and decorative borders.
- You want to be able to mix stone and wood designs and create a completely bespoke floor.
- You have a completely flat, dry subfloor, prepared by a flooring professional.



Choose Loooselay when...

- You want to reduce noise transfer, such as in loft conversions or upstairs rooms.
- · You want a guick installation.
- You have a smooth or damp subfloor, sometimes found in new builds or extensions



84 Call: 02392 799 007

sales@dtw-tiles.co.uk

www.dtw-tiles.co.uk

VIVARA

Smart, multi-functional. Undertile heating.





Schlüter[®]-DITRA-HEAT-E /-DUO

Warm floors & walls made simple with Schlüter-Systems!

The all-in-one electric undertile heating system for comfortable warmth under floors and on walls with tile and stone coverings. The multi-functional heating system provides a unique combination of fast reacting undertile heating and uncoupling. The Schlüter-DITRA-HEAT-DUO version suitable for floors, includes an integrated thermal break and acoustic reduction to aid in faster warm-up time and heat loss.

It's the details that make the difference, schluter.co.uk



PALIO CORE

can reduce noise transfer by 19dB.

WOOD AT A GLANCE

NEW

BARLETTA

NEW

SALERNO

NEW

DOMASC

NEW

GALLINA

NEW

SCOPET

NEW

ANDRIA

Quick and easy to install, Palio Core combines a simple click-locking

robustness on uneven subfloors. With it's acoustic foam backing, it

mechanism with a rigid core construction which provides more



£40.16 m²

NEW

RCP6549

RCP6546

RCP6532

RCP6547

RCP6548

RCP6544



REDUCES IMPACT NOISE TRANSFER

PATENTED CLICK-LOCKING MECHANISM BY 19dB

VINYL FLOORING

THICKNESS PACK SIZE M² PLANK 2.184/box 6 5mm TILE 6.5mm 1.842/box 1220mm x 179mm





STONE AT A GLANCE





307mm x 600mm **NEW - HERRINGBONE PLANKS**

MODENA

Smaller than the standard size, these planks measure 596mm x 149mm and are laid in a herringbone design.





Herringbone colours are also available in plank size 1220mm x 179mm

www.dtw-tiles.co.uk

.....





PRESTIGE - POINTS

Open a 30 day account or cash account and you will automatically be entered in to our Prestige + Points scheme





OPEN A TRADE ACCOUNT TODAY!

Claim your Prestige Plus+ Points at anytime (you account must be paid up to date)

Please allow up to 14 days for your Gift to arrive. No cash alternative available. Gifts are subject to change without notice. Any unused points will be carried over to the following year. We reserve the right to withdraw the scheme for non payment or late payment.



TRADE ACCOUNT APPLICATION FORM

Legal Title / Name o	of Business:	
imited Company:	Sole Trader: Partnership:	Account Type: 30 Day- Monthly 🔲 Trade Cash Account 🗌
Ne automatically send al	l Order Acknowledgements, Invoices &	s Statements via email; please provide your email address below
Email Address:		
FULL TRADING A	DDRESS	INVOICE ADDRESS (If different)
	Postcode:	
CONTACT DETAI	LS (Landline required)	
	Mahila Na	
Tel No:		Web Address:
No. of years trading:	Company No:	VAT No (if applicable)
No. of years trading:	Company No:	VAT No (if applicable) Postcode:
No. of years trading:	Company No:	VAT No (if applicable) Postcode:
No. of years trading: NAME & ADDRES Account No:	Company No:	VAT No (if applicable) Postcode: Sort Code:
No. of years trading: NAME & ADDRES Account No: TRADE REFEREN Company 1: Name:	Company No:	VAT No (if applicable) Postcode: Sort Code:
No. of years trading: NAME & ADDRES Account No: TRADE REFEREN Company 1: Name: Address:	Company No:	VAT No (if applicable)Postcode:Postcode:
No. of years trading: NAME & ADDRES Account No: TRADE REFEREN Company 1: Name:	Company No:	VAT No (if applicable)Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:POstco
No. of years trading: NAME & ADDRES Account No: TRADE REFEREN Company 1: Name: Address: Company 2: Name:	CES	VAT No (if applicable)Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postcode:Postc
No. of years trading: NAME & ADDRES Account No: TRADE REFEREN Company 1: Name: Address: Address:	CES	Email:

due for payment no later than the last day of the following month that goods are supplied. All goods remain the property of DTW Ceramics UK Ltd until paid for in full.

Signed:	Full Name:
Date Signed:	Position within company:

Hand in at reception in our Trade Showroom or post to:

DTW Ceramics UK Limited, 48 Fitzherbert Road, Farlington, Portsmouth, PO6 1RU. E: accounts@dtw-tiles.co.uk Please attach your company letterhead or business card with this completed application form

Terms and conditions of Sale

1. DEFINITIONS In these terms of sale the following meanings shall apply: means DTW Ceramics (UK) Limited, "We" and "Us" Limited Registered in England & Wales No. 6964746, trading as DTW Ceramics (UK) Limited "You' means the person seeking to purchase goods from Us "the Goods" means the goods to be supplied by Us "Company Signatory" "the Terms" means a person authorised by Us means the terms set out in this document and any special term agreed in writing between a Company Signatory and You "the Contract" means the contract for the supply of Goods incorporating these Terms "the Defect means the condition and/or any other circumstances which but for the effect of these Terms would have entitled you to damages 2 THE CONTRACT 2.1 All orders are accepted by Us only under these Terms and they may not be altered other than with the written agreement of a Company Signatory.Any contrary or additional terms, unless so Agreed, are excluded. 2.2 Quotations are invitations to treat only. 2.3 Orders may be cancelled only with the written agreement of a Company Signatory and You shall indemnify Us against all costs.-Claims, losses or expenses incurred as a result of that cancellation 2.4 You are responsible to Us for: 2.4.1 ensuring the accuracy of the terms of any order including any applicable design drawing or specification provided to Us by You and for giving Us any necessary information relating to the Goods within a sufficient time to enable Us to perform the Contract in accordance with its Terms. 2.4.2 ensuring that the Goods are suitable for their intended use whether or not such use has been made known to Us; 2.4.3 quantities ordered and measurements taken are correct; and 2.4.4 You or a nominated signatory are present at the prearranged Time of delivery 3. PRICE 3.1 The price for the Goods shall be as published in our price list current At the date of delivery of the Goods or as quoted. The price

list is exclusive of VAT, which shall be due at the rate of ruling On the date of a VAT invoice 3.2 Prices listed or quoted are based on costs prevailing at the Time when they are given or agreed.We shall be entitled to adjust the price of the Goods at the time of delivery by such amount as may be necessary to cover any increase sustained by Us after the date of acceptance of your order and any direct or indirect costs o making, obtaining, handling or supplying The Goods. 3.3 Prices listed or quoted are applicable to the quantity specified and On the information provided by You at the time of the order. In the event of orders being placed for lesser quantities or if there is any change in specifications, delivery dates or delay is caused by your instructions or lack thereof, we shall be entitled to adjust the price Of the Goods as ordered to take account of the variations 3.4 Prices are open for acceptance for a maximum period of 30 days from date thereof or an extended period provided this specified on price quotation.

4. PAYMENT

4.1 All credit account payments are due on the last day of the month Following the month You are invoiced for the Goods. 4.2 Late payments may incur interest at the rate of 8% above the base rate of NatWest Bank plc in force from time to time from the due date until the date of payment and we reserv The right to claim under the Late Payment of Debt (Interest) Act 1998

4.3 Credit facilities can be withdrawn or reduced at any time at Our sole discretion.

4.4 You may not withhold payment of any invoice or other amount due to Us by reason of any right of set off or counterclaim Which

You may have or allege to have for any reason whatever. 4.5 We will accept payment of accounts by credit card subject to a 2.5% surcharge. The amount of this surcharge may be revised by

From time to time. 5. DELIVERY

5.1 Delivery will be effected when the Goods leave our premises whether carried by Us or an independent carrier, or the premises Our suppliers when the Goods are delivered direct from suppliers 5.2 Delivery dates are given in good faith but are estimates only And time for delivery shall not be of the essence of the Contract. 5.3 For the avoidance of doubt, and without detracting from any other provisions of these Terms We shall not be liable for any damages whatsoever whether direct, indirect or consequential (including for the avoidance of doubt of any liability to any third party) resulting from any delay in delivery of the Goods, or failure to deliver the goods in a reasonable time - whether such Delay o failure is caused by our negligence or otherwise howsoever 5.4 We reserve the right to make delivery by instalments. Our

written notice to You including by announcements on our web site

failure to deliver any one or more instalments, shall not entitle you to treat the Contract as a whole repudiated. 5.5 You must provide the necessary labour for unloading the

Goods - And unloading is to be completed with reasonable speed. If our delivery vehicle is kept waiting for an unreasonable time, or is obliged to return without completing delivery, or if We provide Additional staff to unload Goods, an additional charge will be made. 5.6 Delivery will be to the nearest hard road to site, if the customer requests delivery to a site beyond the nearest hard road then all risk as to the condition of the goods on delivery is with the customer, and no claims will be entertained as to the condition o the goods on delivery.

6. INSPECTION

6.1 You shall inspect the Goods at the place and time of unloading or collection but nothing in these Terms shall require You to break packaging and/or unpack Goods which are intended to be stored Refore 6.1.1 You must advise Us by telephone immediately and give Us written notice within three working days of unloading of any clain

for short delivery breakages or non conformity 6.1.2 If You do not give Us that notice within that time, the Goods will be deemed to have been delivered in the quantities Shown in the delivery documents.

6.1.3 You shall not be entitled, and you irrevocably and unconditionally waive any rights to reject the Goods or claim any Damages whatsoever, for short delivery howsoever caused. 6.1.4 Our liability for short delivery or breakages is limited to

Making good the shortage. 6.2 6.2.1 Where it is, or would have been, apparent on a reasonable inspection that the Goods are not in conformity with the Contract (where the Contract is a contract for sale by a specially manufactured sample) or that the item supplied does not compare with the

sample. You must advise Us by telephone immediately, and give Us written Notice within three working days of inspection. 6.2.2 If You fail to give Us that notice within that time, the Goods will be deemed to have been accepted and You shall not be entitled, and irrevocably and unconditionally waive any rights to Reject the Goods.

7 RETURNS

7.1 Goods not used and still held as current stock can be returned to Us within 28 days of purchase, and provided they are in their Original pack, unopened & unused, and undamaged with a copy of the invoice. A restocking charge will be levied for the return of such goods

8. TITLE AND RISK

8.1 Risk in the Goods shall pass to You when the Goods are delivered. 8.2 The property in the Goods shall remain with Us until You pay all

Sums due to Us, whether in respect of this Contract or other wise. 8.3 Until title passes: 8.3.1 You shall hold the Goods as our fiduciary agent and bailee. 8.3.2 The Goods shall be stored separately from any other goods and You shall not interfere with any identification marks, labels,

Batch numbers or serial numbers on the Goods. 8.3.3 We agree that You may use, or agree to sell the Goods as principle and not as agents in the ordinary course of your business

subject to the express condition that at our direction, the entire proceeds of any sale or insurance proceeds received in respect of the Goods are held in trust for Us and not mixed with any other monies, or paid into an overdrawn bank account and, it Shall, at all times, be identifiable as our money.

8.4 We shall be entitled, at any time, to recover any or all of the Goods in your possession to which We have title and for that purpose,We our employees or agents may, with such transport as is necessary, enter upon any premises occupied by You, or to which You have access and where the Goods may be, or are Believed to be, situated,

9. LIABILITY 9.1 Nothing in these Terms shall exclude or restrict our liability for death or personal injury resulting from our personal negligence or our Liability for fraudulent misrepresentation 9.2 We shall not be liable for any defect in the Goods arising from any Drawing, specification or design supplied by You. 9.3 Subject to Clause 9.1 of these Terms, We shall not be liable by reason of any misrepresentation (unless fraudulent) or any breach of warranty condition or other term express or implied or any

breach of duty (common law or statutory) or negligence for any Damages whatsoever. Instead of liability in damages, We undertake Liability under Clause 4 below. 9.4 Where but for the effect of Clause 9.3 of these Terms You would have been entitled to damages against Us,We shall not be liable to

pay damages but subject to the conditions set out in Clause 9.5 below shall at our sole discretion, either repair the Goods at our own expense, or supply replacement Goods free of charge or refund All (or where appropriate part) of the price of the relevant Goods

9.5 We shall not be liable under Clause 9.4 if the Defect arises from wear and tear, wilful damage, negligence, abnormal working Conditions, misuse, alteration or repair of the Goods. 9.6 We give no undertaking that the Goods are fit for any particular purpose - You having the greater knowledge of your own requirements, rely entirely upon your own skill and judgement In evaluating the suitability of the Goods for your purpose. 9.7 If You are a consumer, your statutory rights remain unaffected. 9.8 The Goods might be natural products and as such are sold subject to their natural markings, grain, variations in colour, cracks, crazing and texture and We do not accent liability for claims made based on these characteristics either before or after fixing 9.9 With out prejudice to any other provisions in these Terms in any event our total liability for any one claim or for the total of all claims aris ing from any one act of default on our part (whether arising from our negligence or otherwise) shall not exceed the purchase price of the goods the subject matter of any claim and in no circumstances Shall We be liable for any consequential or indirect loss.

10. NON-PAYMENT / INSOLVENCY

10.1 "Insolvent" means You becoming unable to pay your debts within the meaning of Section 123 of the Insolvency Act 1986: the levving or the threat of execution or distress on any of your property; the appointment of a receiver or administrative receiver over all, or any part, of your property; a proposal for a voluntary arrangement or compromise between You and your creditors whether pursuant to the Insolvency Act 1986 or otherwise: the passing of a resolution for voluntary winding-up, or summoning a meeting to pass such a resolution otherwise than for the purpose

of a bona fide amalgamation or reconstruction, the presentation of a petition for your winding-up, or for an administration order in relation to You; if You suffer any analogous step or proceedings under foreign law or You

are ceasing, or threatening to cease to carry on Your business 10.2 If You fail to pay the price for any Goods on the due date or fail to pay any sum due to Us under any contract on the due date or You become Insolvent or if You are a Limited Company or partnership and there is a material change in your constitution of You commit a material breach of this Contract and fail to remedy that breach, all sums outstanding between You and Us shall become immediately payable, and We shall entitled to do any one or more of the following (without prejudice to any other right or remedy We may have):

10.3 require payment in cleared funds in advance of further deliveries

10.4 cancel or suspend any further deliveries to You under any contract without liability on our part;

10.5 without prejudice to the generality of Clause 8 of these Terms cise any of our rights pursuant to that clause 10.6 If We reasonably incur any administrative costs such as tracing or debt collection agency costs or third party, or seek to take legal proceedings to enforce our rights as a result of your breach of this Contract - including but not limited to - recovery of any sums.

11. GENERAL

11.1 This Contract shall be governed and interpreted according to the Law of England and Wales and You agree to submit to the Non- exclusive jurisdiction of the English Courts. 11.2 We shall not be liable for any delay or failure to perform any of our obligations in relation to the Goods due to any cause beyond our Reason able control, including industrial action. 11.3 The waiver by Us of any breach or default of these Terms shall not be construed as a continued waiver of that breach, nor as a waiver of any subsequent breach of the same, or any other provision

11.4 If any clause or sub-clause of these Terms is held by a competent authority to be invalid or unenforceable, the validity of the other clauses and sub-clauses of these Terms shall not be affected and They shall remain in full force and effect. 11.5 We may assign, novate, or sub contract all or part of this Contract And You shall be deemed to consent to any novation. This Contract is personal to You and it may not be assigned. 11.6 Nothing in this Contract is intended to, or will grant any right, to any third party to enforce any terms of this Contract, be it express Or implied.

12. SPECIAL ORDERS

Special Orders tiles & bathroom goods (incl.Whirlpool baths) are only accepted In writing. Delivery periods from the manufacturer cannot be guaranteed. Special order cancellation will only be accepted in writing, and can only be accepted prior to production

Of the article, and with the consent of the manufacturer. Products that have been specially ordered will not be accepted for return to our stock.

13. CRAZING

No guarantee can be given against crazing

14. VARIATIONS

The goods are supplied within the manufactures tolerance limits of size, texture and colour variations. Marble & stone is supplied subject to natural colour variations.

15. SAMPLES

Samples are exhibited solely to enable the customer to judge the quality of the goods, but not so as to constitute a sale by sample. Any sampling or merchandise material supplied, whether chargeable or FOC are done so for the purpose of obtaining sales order for DTW Ceramics (LIK) limited only In respect of additional orders we cannot always guarantee that the goods will be exactly the same shade and size as previously supplied.

16. TECHNICAL ADVICE

The company's authorised representative, in good faith and for general guidance only. Gives technical and other advice. The company is not liable for errors, or defects by, the manufacturer of other circumstances beyond its control. 16.1 You or the installer are ultimately responsible for the installation and choice of materials.

17. PICTURES

Owing to variation in studio lighting and printing inks, the tile or bathroom goods shown in our catalogue may differ slightly from those actually supplied. Before making your choice we recommend viewing a real sample.

18. LAYING OF TILES BRICK STYLF


All tiles can be prone to "bowing." This is caused in the firing process and is unavoidable.All our tiles are produced to European standards and tolerances. Ensure you are happy with the finish especially if you are planning to lay the tiles in a brick fashion.

19. GOODS WITH SPECIAL FINISH

Many goods now come with a special finish i.e. chrome or metallic These need extreme care installing or cleaning. Ensure that the installer does not cover or leave adhesive and/or grout on the surface as in some circumstances it can discolour the item.When cleaning the goods do not use anything acidic unless advise to do so by the manufacturer.

19.1 Some goods/tiles require sealing prior to installation and we recommend a sample area is tested with the correct sealer prior to tiling being commenced

BIHUI PROFESSIONAL TILING TOOLSInnovation Innovation Quality Innovation



...the developer of tools for the professional installer